



Kontrolli aruanne

Kuupäev: 05.12.2023

# Digiligipääsetavuse kontrolli aruanne

Kontrollitud teenus: <https://kul.ee/>, 05.12.2023 11:58

Testis kasutatud vaatepordi suurus: 1920px X 1080px

Veebilehekülje ligipääsetavuse kontroll on teostatud Salvia digiligipääsetavuse hindamistööriistaga (<https://github.com/accessibility-fi/salvia>), mis põhineb QualWebi avatud lähtekoodiga tarkvaral (<https://github.com/qualweb/core>). Veebilehekülje ligipääsetavuse testimine teostati automaatsete ACT-testimise reeglite alusel, mis on seotud WCAG 2.1 A- ja AA-taseme suuniste vastavusnõuetega (<https://github.com/qualweb/act-rules>).

# Tulemuste Kokkuvõte

## Kontrollitud Veebileheküljed

---

Kontrolliks valitud veebileheküljed (127):

- <https://kul.ee/asutus-uudised-ja-kontakt/dokumendiregister>
- <https://kul.ee/>
- <https://kul.ee/LLSVTK>
- <https://kul.ee/asutus-uudised-ja-kontakt/eli-valdkondlikud-raportid-ja-analuusid>
- <https://kul.ee/asutus-uudised-ja-kontakt/euroopa-kultuuripealinn-2024>
- <https://kul.ee/asutus-uudised-ja-kontakt/kaasamine-ja-osalemine>
- <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium>
- <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/strateegilised-alusdokumendid>
- <https://kul.ee/asutus-uudised-ja-kontakt/logo>
- <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/valitsemissala-asutused>
- <https://kul.ee/asutus-uudised-ja-kontakt/stipendiumid-ja-preemiad>
- <https://kul.ee/asutus-uudised-ja-kontakt/rahastamine/toetuse-taotlemise-ja-aruandluse-vormid>
- <https://kul.ee/asutus-uudised-ja-kontakt/rahvusvaheline-koostoo>
- <https://kul.ee/keskkonnahoidlik-tegevus-kultuurivaldkonnas>
- <https://kul.ee/kohanemine/teenuste-arendamine>
- <https://kul.ee/kultuur2030>
- <https://kul.ee/kontakt>
- <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine>
- <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/ida-virumaa>
- <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/strateegilised-dokumendid/loimuv-eesti-2020>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/>

raamatukogud/raamatukogud-eestis

- <https://kul.ee/kunstid-ja-loomemajandus/muusika/muusikaorganisatsioonid>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/rahastamine>
- <https://kul.ee/sundmused>
- <https://kul.ee/sport-ja-liikumine/spordikorraldus/spordiseaduse-muutmise>
- <https://kul.ee/toetused>
- <https://kul.ee/arhitektuur>
- <https://kul.ee/arhitektuuri-valdkonna-rahastamine>
- <https://kul.ee/uudised/kultuuriministeerium-ootab-kandidaate-kultuuri-ja-spordi-aasta-ning-elutoopreemiatele-0>
- <https://kul.ee/asutus-uudised-ja-kontakt/eesti-kultuurkapital>
- <https://kul.ee/asutus-uudised-ja-kontakt/euroopa-liit>
- <https://kul.ee/asutus-uudised-ja-kontakt/kultuurikoostoo-euroopa-liidus>
- <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/lobistidega-kohtumised>
- <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/kultuuriminister-heidy-purga>
- <https://kul.ee/asutus-uudised-ja-kontakt/kontaktid/kontaktid-ajakirjanikele>
- <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/majandusteave-ja-varahaldus>
- <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/toole-voi-praktikale>
- <https://kul.ee/asutus-uudised-ja-kontakt/riigiabi>
- <https://kul.ee/asutus-uudised-ja-kontakt/teema-aastad>
- <https://kul.ee/asutus-uudised-ja-kontakt/tunnustused>
- <https://kul.ee/asutus-uudised-ja-kontakt/uudised/infokiri>
- <https://kul.ee/asutus-uudised-ja-kontakt/valisvahendid>
- <https://kul.ee/asutus-uudised-ja-kontakt/valislepingud>
- <https://kul.ee/disain>
- <https://kul.ee/en>
- <https://kul.ee/disaini-valdkonna-rahastamine>
- <https://kul.ee/isikuandmete-tootlemine>
- <https://kul.ee/heritagehome>
-

- <https://kul.ee/kantsler-kristiina-alliksaar>
- <https://kul.ee/kultuurikoostoo-venemaa-ja-valgevenega-seoses-sojaga-ukrainas>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine/rahastamine>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/kohanemine>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine/rahvusvaheline-koostoo>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine/sundmused>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/kohanemine/kohanemisprogramm>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/hoimurahvad>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/rahvuskaaslased-ja>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/rahvusvahemuste>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/romade-loimumise-noukoda>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/strateegilised-dokumendid/varasemad-loimumiskavad>
  - <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/digitaalne-kultuuriparand/digitaalse-kultuuriparandi>
  - <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/vahemusrahvuse>
  - <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/digitaalne-kultuuriparand/kultuuriparandi>
  - <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse>
  - <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/euroopa-majanduspiirkonna-ja-norra>
  - <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/>

muinsuskaitse/muinsuskaitseseadus

- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/rahvusvaheline-tegevus>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muuseumid>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muuseumid/muuseumid-eestis>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muuseumid/muuseumiseadus>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muuseumid/rahastamine>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahastamine>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahvaraamatukogu-seaduse-muutmise>
- <https://kul.ee/kunstimajandus/arhitektuur/arhitektuuripoliitika>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahvaraamatukogud>
- <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahvusvaheline-tegevus>
- <https://kul.ee/kunstimajandus/audiovisuaalvaldkond>
- <https://kul.ee/kunstimajandus/audiovisuaalvaldkond/filmide-toetuskava-film-estonia>
- <https://kul.ee/kunstimajandus/audiovisuaalvaldkond/filmifestivalid-eestis>
- <https://kul.ee/kunstimajandus/audiovisuaalvaldkond/ringhaaling>
- <https://kul.ee/kunstimajandus/audiovisuaalvaldkond/filmikunst>
- <https://kul.ee/kunstimajandus/etenduskunstid>
- <https://kul.ee/kunstimajandus/etenduskunstid/etendusasutuse-seaduse-muutmise>
- <https://kul.ee/kunstimajandus/etenduskunstid/rahastamine>
- <https://kul.ee/kunstimajandus/etenduskunstid/rahvusvaheline-tegevus>
- <https://kul.ee/kunstimajandus/etenduskunstid/seadused>
-

- <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/teatrid-eestis>
- <https://kul.ee/kunstid-ja-loomemajandus/kirjandus>
- <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/eesti-kirjanduse-paev>
- <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/kirjaniku-ja-kunstnikupalk>
- <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/eesti-lastekirjanduse-keskus>
- <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/rahastamine>
- <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/rahvusvaheline-tegevus>
- <https://kul.ee/kunstid-ja-loomemajandus/kunst>
- <https://kul.ee/kunstid-ja-loomemajandus/kunst/kunstiresidentuurid>
- <https://kul.ee/kunstid-ja-loomemajandus/kunst/rahastamine>
- <https://kul.ee/kunstid-ja-loomemajandus/kunst/rahvusvaheline-tegevus>
- <https://kul.ee/kunstid-ja-loomemajandus/kunst/kunstiteoste-tellimise-seadus>
- <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus/loomemajandus-ja-euroopa-liit>
- <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus/loomemajanduse-arendamine>
- <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus>
- <https://kul.ee/kunstid-ja-loomemajandus/muusika/muusikafestivalid-eestis>
- <https://kul.ee/laulu-ja-tantsupeoliikumise-toetamine>
- <https://kul.ee/kupsised>
- <https://kul.ee/loometoo-tasustamine-eestis-ja-loomepalkade-moju-hindamine>
- <https://kul.ee/muusika>
- <https://kul.ee/muusika-valdkonna-rahastamine>
- <https://kul.ee/rahvakultuur>
- <https://kul.ee/rahvusvaheline-tegevus-disaini-valdkonnas>
- <https://kul.ee/rahvusvaheline-tegevus-arhitektuuri-valdkonnas>
- <https://kul.ee/rahvuskultuuri-valdkonna-rahastamine>
- <https://kul.ee/siduseesti2030>
- <https://kul.ee/ru>
- <https://kul.ee/sport-ja-liikumine/rahastamine/liikumisharrastus>
-

- <https://kul.ee/sport-ja-liikumine/rahastamine/saavutussport>
- <https://kul.ee/sport-ja-liikumine/rahastamine/stipendiumid-ja-preemiad>
- <https://kul.ee/sport-ja-liikumine/rahvusvaheline-koostoo/euroopa-liit-ja-euroopa-noukogu>
- <https://kul.ee/sport-ja-liikumine/rahastamine/taristu>
- <https://kul.ee/sport-ja-liikumine/spordikorraldus/tahtsamad-partnerid>
- <https://kul.ee/sport-ja-liikumine/spordikorraldus/sport-2030>
- <https://kul.ee/sport-ja-liikumine/rahvusvaheline-koostoo/muud-rahvusvahelised-organisatsioonid>
- <https://kul.ee/teabenoue>
- <https://kul.ee/en/ministry-news-and-contact/international-cooperation-and-european-union/european-capital-culture>
- <https://kul.ee/uuringud>
- <https://kul.ee/ru/ministerstvo-novosti-i-kontakty/mezhdunarodnoe-sotrudnichestvo-i-evropeyskiy-soyuz/kulturnaya>

## Teostatud Testid

---

Järgmistes testides leiti ligipääsetavusnõuetele mittevastavust (6):

- QW-ACT-R12, Link has accessible name (<https://act-rules.github.io/rules/c487ae>)
- QW-ACT-R18, `id` attribute value is unique (<https://act-rules.github.io/rules/3ea0c8>)
- QW-ACT-R17, Image has accessible name (<https://act-rules.github.io/rules/23a2a8>)
- QW-ACT-R35, Heading has accessible name (<https://act-rules.github.io/rules/ffd0e9>)
- QW-ACT-R16, Form control has accessible name (<https://act-rules.github.io/rules/e086e5>)
- QW-ACT-R43, Scrollable element is keyboard accessible (<https://act-rules.github.io/rules/0ssw9k>)

Veebi ligipääsetavuse suunistele vastavust või mittevastavust ei saanud järgmiste automaatsetidega kindlaks teha (10):

- QW-ACT-R63, Document has a landmark with non-repeated content (<https://act-rules.github.io/rules/b40fd1>)
- QW-ACT-R64, Document has heading for non-repeated content (<https://act-rules.github.io/rules/047fe0>)
- QW-ACT-R73, Block of repeated content is collapsible (<https://act-rules.github.io/rules/3e12e1>)
- QW-ACT-R74, Document has an instrument to move focus to non-repeated content (<https://act-rules.github.io/rules/ye5d6e>)
- QW-ACT-R62, Element in sequential focus order has visible focus (<https://act-rules.github.io/rules/oj04fd>)
- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)
- QW-ACT-R41, Error message describes invalid form field value (<https://act-rules.github.io/rules/36b590>)
- QW-ACT-R40, Zoomed text node is not clipped with CSS overflow (<https://act-rules.github.io/rules/59br37>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)
- QW-ACT-R10, `iframe` elements with identical accessible names have equivalent purpose (<https://act-rules.github.io/rules/4b1c6c>)

Järgmistes testides ei leitud nõuetele mittevastavust (24):

- QW-ACT-R1, HTML Page has a title (<https://act-rules.github.io/rules/2779a5>)
- QW-ACT-R2, HTML has lang attribute (<https://act-rules.github.io/rules/b5c3f8>)
- QW-ACT-R5, Validity of HTML Lang attribute (<https://act-rules.github.io/rules/bf051a>)
- QW-ACT-R11, Button has accessible name (<https://act-rules.github.io/rules/97a4e1>)

- QW-ACT-R13, Element with `aria-hidden` has no focusable content (<https://act-rules.github.io/rules/6cfa84>)
- QW-ACT-R14, meta viewport does not prevent zoom (<https://act-rules.github.io/rules/b4f0c3>)
- QW-ACT-R28, Element with role attribute has required states and properties (<https://act-rules.github.io/rules/4e8ab6>)
- QW-ACT-R16, Form control has accessible name (<https://act-rules.github.io/rules/e086e5>)
- QW-ACT-R20, role attribute has valid value (<https://act-rules.github.io/rules/674b10>)
- QW-ACT-R17, Image has accessible name (<https://act-rules.github.io/rules/23a2a8>)
- QW-ACT-R30, Visible label is part of accessible name (<https://act-rules.github.io/rules/2ee8b8>)
- QW-ACT-R35, Heading has accessible name (<https://act-rules.github.io/rules/ffd0e9>)
- QW-ACT-R68, Line height in style attributes is not !important (<https://act-rules.github.io/rules/78fd32>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)
- QW-ACT-R65, Element with presentational children has no focusable content (<https://act-rules.github.io/rules/307n5z>)
- QW-ACT-R75, Bypass Blocks of Repeated Content (<https://act-rules.github.io/rules/cf77f2>)
- QW-ACT-R22, Element within body has valid lang attribute (<https://act-rules.github.io/rules/de46e4>)
- QW-ACT-R19, iframe element has accessible name (<https://act-rules.github.io/rules/cae760>)
- QW-ACT-R43, Scrollable element is keyboard accessible (<https://act-rules.github.io/rules/0ssw9k>)
- QW-ACT-R38, ARIA required owned elements (<https://act-rules.github.io/rules/bc4a75>)
- QW-ACT-R33, ARIA required context role (<https://act-rules.github.io/rules/ff89c9>)

- QW-ACT-R12, Link has accessible name (<https://act-rules.github.io/rules/c487ae>)
- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)
- QW-ACT-R39, All table header cells have assigned data cells (<https://act-rules.github.io/rules/d0f69e>)

Testid, mis ei olnud kohaldatavad lehekülgedelt leitava sisu suhtes (40):

- QW-ACT-R4, Meta-refresh no delay (<https://act-rules.github.io/rules/bc659a>)
- QW-ACT-R43, Scrollable element is keyboard accessible (<https://act-rules.github.io/rules/0ssw9k>)
- QW-ACT-R3, HTML lang and xml:lang match (<https://act-rules.github.io/rules/5b7ae0>)
- QW-ACT-R6, Image button has accessible name (<https://act-rules.github.io/rules/59796f>)
- QW-ACT-R21, svg element with explicit role has accessible name (<https://act-rules.github.io/rules/7d6734>)
- QW-ACT-R22, Element within body has valid lang attribute (<https://act-rules.github.io/rules/de46e4>)
- QW-ACT-R38, ARIA required owned elements (<https://act-rules.github.io/rules/bc4a75>)
- QW-ACT-R10, `iframe` elements with identical accessible names have equivalent purpose (<https://act-rules.github.io/rules/4b1c6c>)
- QW-ACT-R33, ARIA required context role (<https://act-rules.github.io/rules/ff89c9>)
- QW-ACT-R19, iframe element has accessible name (<https://act-rules.github.io/rules/cae760>)
- QW-ACT-R58, audio element content has transcript (<https://act-rules.github.io/rules/2eb176>)
- QW-ACT-R59, audio element content is media alternative for text (<https://act-rules.github.io/rules/afb423>)

- QW-ACT-R51, video element visual-only content is media alternative for text (<https://act-rules.github.io/rules/fd26cf>)
- QW-ACT-R52, video element visual-only content has description track (<https://act-rules.github.io/rules/ac7dc6>)
- QW-ACT-R53, video element visual-only content has transcript (<https://act-rules.github.io/rules/ee13b5>)
- QW-ACT-R54, video element visual-only content has audio track alternative (<https://act-rules.github.io/rules/d7ba54>)
- QW-ACT-R55, video element visual content has audio description (<https://act-rules.github.io/rules/1ea59c>)
- QW-ACT-R56, video element content is media alternative for text (<https://act-rules.github.io/rules/ab4d13>)
- QW-ACT-R57, video element visual content has description track (<https://act-rules.github.io/rules/f196ce>)
- QW-ACT-R60, video element auditory content has captions (<https://act-rules.github.io/rules/f51b46>)
- QW-ACT-R61, Audio and visuals of video element have transcript (<https://act-rules.github.io/rules/1a02b0>)
- QW-ACT-R49, Audio or video that plays automatically has no audio that lasts more than 3 seconds (<https://act-rules.github.io/rules/aaa1bf>)
- QW-ACT-R50, audio or video that plays automatically has a control mechanism (<https://act-rules.github.io/rules/4c31df>)
- QW-ACT-R24, autocomplete attribute has valid value (<https://act-rules.github.io/rules/73f2c2>)
- QW-ACT-R36, Headers attribute specified on a cell refers to cells in the same table element (<https://act-rules.github.io/rules/a25f45>)
- QW-ACT-R39, All table header cells have assigned data cells (<https://act-rules.github.io/rules/d0f69e>)
- QW-ACT-R42, Object element has non-empty accessible name (<https://act-rules.github.io/rules/8fc3b6>)
- QW-ACT-R67, Letter spacing in style attributes is not !important (<https://act-rules.github.io/rules/24afc2>)
- QW-ACT-R69, Word spacing in style attributes is not !important (<https://act-rules.github.io/rules/9e45ec>)

- QW-ACT-R66, MenuItem has non-empty accessible name (<https://act-rules.github.io/rules/m6b1q3>)
- QW-ACT-R7, Orientation of the page is not restricted using CSS transform property (<https://act-rules.github.io/rules/b33eff>)
- QW-ACT-R70, iframe with negative tabindex has no interactive elements (<https://act-rules.github.io/rules/akn7bn>)
- QW-ACT-R15, audio or video has no audio that plays automatically (<https://act-rules.github.io/rules/80f0bf>)
- QW-ACT-R23, video element visual content has accessible alternative (<https://act-rules.github.io/rules/c5a4ea>)
- QW-ACT-R26, video element auditory content has accessible alternative (<https://act-rules.github.io/rules/eac66b>)
- QW-ACT-R29, Audio element content has text alternative (<https://act-rules.github.io/rules/e7aa44>)
- QW-ACT-R31, Video element visual-only content has accessible alternative (<https://act-rules.github.io/rules/c3232f>)
- QW-ACT-R32, video element visual content has strict accessible alternative (<https://act-rules.github.io/rules/1ec09b>)
- QW-ACT-R68, Line height in style attributes is not !important (<https://act-rules.github.io/rules/78fd32>)
- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)

# Leitud mittevastavused

## QW-ACT-R12 – Link has accessible name (8049)

---

This rule checks that each link has an accessible name.

- <https://act-rules.github.io/rules/c487ae>
- WCAG 2.1, Level A: 2.4.4 (<https://www.w3.org/TR/WCAG21/#link-purpose-in-context>)
- WCAG 2.1, Level AAA: 2.4.9 (<https://www.w3.org/TR/WCAG21/#link-purpose-link-only>)
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/dokumendiregister>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > a:nth-child(1)

```
<a href="javascript:void(0)" class="d-flex justify-content-center align-items-center mr-2 cLndr-previous-button"> </a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > a:nth-child(2)

```
<a href="javascript:void(0)" class="d-flex justify-content-center align-items-center cInDr-next-button"> </a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/LLSVTK>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty

(").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/eli-valdkondlikud-raportid-ja-analuusid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/euroopa-kultuuripealinn-2024>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)
```

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kaasamine-ja-osalemine>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)
```

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/strateegilised-alusdokumendid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/logo>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/valitsemissala-asutused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/stipendiumid-ja-preemiad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/rahastamine/toetuse-taotlemise-ja-aruandluse-vormid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/rahvusvaheline-koostoo>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > p:nth-child(4) > a:nth-child(2)

```
<a href="/riikidevaheliste-kultuurikoostolepete-taitmine">&nbsp;</a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/keskkonnahoidlik-tegevus-kultuurivaldkonnas>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/kohanemine/teenuste-arendamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuur2030>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kontakt>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > section:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > h4:nth-child(3) > a:nth-child(1)

```
<a class="text-secondary show-list-items " data-slidetoggle="list-hidden-1" href="#">Tallinna esinduse hooned </a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty

(").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/ida-virumaa>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/strateegilised-dokumendid/loimuv-eesi-2020>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)
```

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/raamatukogud-eestis>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)
```

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/muusika/muusikaorganisatsioonid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/sundmused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/spordikorraaldus/spordiseaduse-muutmise>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/toetused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/arhitektuur>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/arhitektuuri-valdkonna-rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/uudised/kultuuriministeerium-ootab-kandidaate-kultuuri-ja-spordi-aasta-ning-elutoopreemiatele-0>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/eesti-kultuurkapital>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/euroopa-liit>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuurikoostoo-euroopa-liidus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/lobistidega-kohtumised>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html:nth-of-type(1) > body > div:nth-of-type(1) > div:nth-of-type(2) > div:nth-of-type(1) > main:nth-of-type(1) > section:nth-of-type(2) > div:nth-of-type(1) > article:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(2) > div:nth-of-type(2) > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > a:nth-of-type(1)

```
<a href="javascript:void(0)" class="d-flex justify-content-center align-items-center mr-2 cldr-previous-button"> </a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html:nth-of-type(1) > body > div:nth-of-type(1) > div:nth-of-type(2) > div:nth-of-type(1) > main:nth-of-type(1) > section:nth-of-type(2) > div:nth-of-type(1) > article:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(2) > div:nth-of-type(2) > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > a:nth-of-type(2)

```
<a href="javascript:void(0)" class="d-flex justify-content-center align-items-center cInDr-next-button"> </a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/kultuuriminister-heidy-purga>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kontaktid/kontaktid-ajakirjanikele>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)
```

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/majandusteave-ja-varahaldus>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)
```

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/toole-voi-praktikale>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/riigiabi>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/teema-aastad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/tunnustused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/uudised/infokiri>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/valisvahendid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/valislepingud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/disain>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/disaini-valdkonna-rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/isikuandmete-tootlemine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/heritagehome>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/kantsler-kristiina-alliksaar>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurikoostoo-venemaa-ja-valgevenega-seoses-sojaga-ukrainas>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine/rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/kohanemine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine/rahvusvaheline-koostoo>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine/sundmused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(3) > li:nth-child(7) > a:nth-child(2)

```
<a href="https://www.google.com/url?q=http%3A%2F%2Fwww.narva.ee%2Fee%2Flinnakodanikule%2Fpage%3A7525&sa=D&sa=D&sa=D&sntz=1&usg=AFQjCNEJLfbNG5LPa8qmhttzXaI7rh7pXw" target="_blank" rel="noopener"> </a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty

(").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/kohanemine/kohanemisprogramm>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/hoimurahvad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/rahvuskaaslased-ja>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-
child(2) > a:nth-child(1)
```

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/
#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-
child(3) > a:nth-child(1)
```

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></
a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/rahvusvahemuste>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/romade-loimumise-noukoda>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/strateegilised-dokumendid/varasemad-loimumiskavad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/digitaalne-kultuuriparand/digitaalse-kultuuriparandi>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/vahemusrahvuse>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/digitaalne-kultuuriparand/kultuuriparandi>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/euroopa-majanduspiirkonna-ja-norra>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/muinsuskaitseseadus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/rahvusvaheline-tegevus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/museumid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/museumid/museumid-eestis>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/museumid/museumiseadus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/museumid/rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahvaraamatukogu-seaduse-muutmine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/arhitektuur/arhitektuuripoliitika>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahvaraamatukogud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > p:nth-child(1) > a:nth-child(23)

```
<a href="https://veebiarhiiv.digar.ee/a/20131121211344/http://www.kul.ee/index.php?path=0x2x213x71x1983" target="_blank" rel="noopener"> </a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahvusvaheline-tegevus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty

(").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond/filmide-toetuskava-film-estonia>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)
```

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)
```

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond/filmifestivalid-eestis>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond/ringhaaling>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond/filmikunst>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

[Veebilehekülg: https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid](https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid)

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/etendusasutuse-seaduse-muutmise>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/rahvusvaheline-tegevus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/seadused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/teatrid-eestis>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/eesti-kirjanduse-paev>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/kirjaniku-ja-kunstnikupalk>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/eesti-lastekirjanduse-keskus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/rahvusvaheline-tegevus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(4) > li:nth-child(1) > svg:nth-child(2) > a:nth-child(1)

```
<a href="https://www.bolognachildrensbookfair.com/home/878.html"> </a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/kunst>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kunst/kunstiresidentuurid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstimid-ja-loomemajandus/kunst/rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kunst/rahvusvaheline-tegevus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kunst/kunstiteoste-tellimise-seadus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus/loomemajandus-ja-euroopa-liit>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus/loomemajanduse-arendamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/muusika/muusikafestivalid-eestis>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/laulu-ja-tantsupeoliikumise-toetamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/kupsised>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/loometoo-tasustamine-eestis-ja-loomepalkade-moju-hindamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/muusika>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/muusika-valdkonna-rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/rahvakultuur>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/rahvusvaheline-tegevus-disaini-valdkonnas>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/rahvusvaheline-tegevus-arhitektuuri-valdkonnas>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/rahvuskultuuri-valdkonna-rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/siduseesti2030>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahastamine/liikumisharrastus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

[Veebilehekülg: https://kul.ee/sport-ja-liikumine/rahastamine/saavutussport](https://kul.ee/sport-ja-liikumine/rahastamine/saavutussport)

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahastamine/stipendiumid-ja-preemiad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahvusvaheline-koostoo/euroopa-liit-ja-euroopa-noukogu>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahastamine/taristu>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/spordikorraldus/tahtsamad-partnerid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/spordikorraaldus/sport-2030>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahvusvaheline-koostoo-muud-rahvusvahelised-organisatsioonid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/teabenoue>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/en/ministry-news-and-contact/international-cooperation-and-european-union/european-capital-culture>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/uuringud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://kul.ee/ru/ministerstvo-novosti-i-kontakty/mezhdunarodnoe-sotrudnichestvo-i-evropeyskiy-soyuz/kulturnaya>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

## QW-ACT-R18 - `id` attribute value is unique (3459)

---

This rule checks that all id attribute values on a single page are unique.

- <https://act-rules.github.io/rules/3ea0c8>
- WCAG 2.1, Level A: 4.1.1 (<https://www.w3.org/TR/WCAG21/#parsing>)

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/dokumendiregister>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/LLSVTK>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/eli-valdkondlikud-raportid-ja-analuusid>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/euroopa->

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/kaasamine-ja-osalemine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/strateegilised-alusdokumendid>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/logo>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/valitsemissala-asutused>

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/stipendiumid-ja-preemiad>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/rahastamine/toetuse-taotlemise-ja-aruandluse-vormid>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/rahvusvaheline-koostoo>

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/keskkonnahoidlik-tegevus-kultuurivaldkonnas>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kohanemine/teenuste-arendamine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuur2030>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >  
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >  
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)  
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kontakt>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >  
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine>

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/ida-virumaa>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/strategilised-dokumendid/loimuv-eesi-2020>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/raamatukogud-eestis>

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/muusika/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/rahastamine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/sundmused>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/spordikorraaldus/spordiseaduse-muutmise>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/toetused>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/arhitektuur>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/arhitektuuri-valdkonna-rahastamine>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/uudised/kultuuriministeerium-ootab-kandidaate-kultuuri-ja-spordi-aasta-ning-elutoopreemiatele-0>

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/eesti-kultuurkapital>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/euroopa-liit>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuurikoostoo-euroopa-liidus>

---

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/kultuuriminister-heidy-purga>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kontaktid/kontaktid-ajakirjanikele>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/toole-voi-praktikale>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/riigiabi>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/teema-aastad>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/tunnustused>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/uudised/infokiri>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/valisvahendid>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >  
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)  
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/valislepingud>

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >  
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >  
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)  
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministries </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministries </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/disaini-valdkonna-rahastamine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/isikuandmete-tootlemine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/heritagehome>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kantsler-kristiina-alliksaar>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurikoostoo-venemaa-ja-valgevenega-seoses-sojaga-ukrainas>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine/rahastamine>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/kohanemine>

---

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/loimumine/sundmused>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/hoimurahvad>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/rahvuskaaslased-ja>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/romade-loimumise-noukoda>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/strateegilised-dokumendid/varasemad-loimumiskavad>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/vahemusrahvuse>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/digitaalne-kultuuriparand/kultuuriparandi>

---

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/euroopa-majanduspiirkonna-ja-norra>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/muinsuskaitseseedus>

---

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muuseumid>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muuseumid/muuseumid-eestis>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/>

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muuseumid/rahastamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/>

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahvaraamatukogu-seaduse-muutmise>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/arhitektuur/arhitektuuripoliitika>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahvusvaheline-tegevus>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond>

---

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/>

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond/filmifestivalid-eestis>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond/ringhaaling>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/>

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/etendusasutuse-seaduse-muutmise>

---

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/>

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/rahvusvaheline-tegevus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/seadused>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/>

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/kirjandus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/eesti-kirjanduse-paev>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/kirjaniku-ja->

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/eesti-lastekirjanduse-keskus>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/rahastamine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/kunst>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kunst/kunstiresidentuurid>

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kunst/rahastamine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kunst/rahvusvaheline-tegevus>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kunst/kunstiteoste-tellimise-seadus>

---

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus/>

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus/loomemajanduse-arendamine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/muusika/muusikafestivalid-eestis>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/laulu-ja-tantsupeoliikumise-toetamine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/kupsised>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/loometoo-tasustamine-eestis-ja-loomepalkade-moju-hindamine>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/muusika>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/muusika-valdkonna-rahastamine>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >  
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >  
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)  
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/rahvakultuur>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >  
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >  
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)  
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

[Veebilehekülg: https://kul.ee/rahvusvaheline-tegevus-disaini-valdkonnas](https://kul.ee/rahvusvaheline-tegevus-disaini-valdkonnas)

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >  
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >  
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)  
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/siduseesti2030>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/ru>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Министерства </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Министерства </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahastamine/liikumisharrastus>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahastamine/saavutusport>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahastamine/stipendiumid-ja-preemiad>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahvusvaheline-koostoo-euroopa-liit-ja-euroopa-noukogu>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahastamine/taristu>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/spordikorraldus/tahtsamad-partnerid>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://kul.ee/sport-ja-liikumine/spordikorraaldus/sport-2030>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahvusvaheline-koostoo-muud-rahvusvahelised-organisatsioonid>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >  
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >  
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)  
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-  
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/teabenoue>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/en/ministry-news-and-contact/international-cooperation-and-european-union/european-capital-culture>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministries </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministries </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/uuringud>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) >
li:nth-child(2) > div:nth-child(1) > a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1)
> a:nth-child(1)
```

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Ministeeriumid </a>
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://kul.ee/ru/ministerstvo-novosti-i-kontakty/mezhdunarodnoe-sotrudnichestvo-i-evropeyskiy-soyuz/kulturnaya>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Министрства </a>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > nav:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > div:nth-child(1) > a:nth-child(1)

```
<a class="nav-link dropdown-toggle" id="header-menu-dropdown" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> Министрства </a>
```

**Tulemus:** Several elements have the same `id` attribute.

## QW-ACT-R17 – Image has accessible name (2300)

---

This rule checks that each image that is not marked as decorative, has an accessible name.

- <https://act-rules.github.io/rules/23a2a8>
- WCAG 2.1, Level A: 1.1.1 (<https://www.w3.org/TR/WCAG21/#non-text-content>)

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/euroopa-kultuuripealinn-2024>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > figure:nth-child(6) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > figure:nth-child(13) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > figure:nth-child(3) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/rahvusvaheline-koostoo>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kohanemine/teenuste-arendamine>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuur2030>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/ida-virumaa>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/spordikorraldus/spordiseaduse-muutmise>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(6) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/eesti-kultuurkapital>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(6) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/euroopa-liit>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuurikoostoo-euroopa-liidus>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/lobistidega-kohtumised>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/kultuuriminister-heidy-purga>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/toole-voi-praktikale>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/tunnustused>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(7) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kantsler-kristiina-alliksaar>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuurikoostoo-venemaa-ja-valgevenega-seoses-sojaga-ukrainas>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/kohanemine>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/kohanemine/kohanemisprogramm>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/hoimurahvad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/rahvuskaaslased-ja>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/rahvusvahemuste>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/romade-loimumise-noukoda>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuuriline-mitmekesisus-ja-loimumine/rahvusvahemused-ja-rahvuskaaslased/vahemusrahvuse>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/digitaalne-kultuuriparand/kultuuriparandi>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/euroopa-majanduspiirkonna-ja-norra>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muinsuskaitse/muinsuskaitseseudus>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(4) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(8) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(12) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/muuseumid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(6) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(6) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kultuurivaartused-ja-digitaalne-kultuuriparand/raamatukogud/rahvaraamatukogu-seaduse-muutmine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(15) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond/filmikunst>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/etenduskunstid/etendusasutuse-seaduse-muutmine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kirjandus/rahvusvaheline-tegevus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > figure:nth-child(6) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/kunst/kunstiteostetellimise-seadus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > figure:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus/loomemajandus-ja-euroopa-liit>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(4) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus/loomemajanduse-arendamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/laulu-ja-tantsupeoliikumise-toetamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/muusika>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/rahvakultuur>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(7) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahastamine/liikumisharrastus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

[Veebilehekülg: https://kul.ee/sport-ja-liikumine/rahastamine/saavutussport](https://kul.ee/sport-ja-liikumine/rahastamine/saavutussport)

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

[Veebilehekülg: https://kul.ee/sport-ja-liikumine/rahastamine/stipendiumid-ja-preemiad](https://kul.ee/sport-ja-liikumine/rahastamine/stipendiumid-ja-preemiad)

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahvusvaheline-koostoo/euroopa-liit-ja-euroopa-noukogu>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/sport-ja-liikumine/rahastamine/taristu>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://kul.ee/sport-ja-liikumine/rahvusvaheline-koostoo-muud-rahvusvahelised-organisatsioonid>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://kul.ee/en/ministry-news-and-contact/international-cooperation-and-european-union/european-capital-culture>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > figure:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > figure:nth-child(8) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://kul.ee/ru/ministerstvo-novosti-i-kontakty/mezhdunarodnoe-sotrudnichestvo-i-evropeyskiy-soyuz/kulturnaya>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > figure:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > figure:nth-child(7) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

## QW-ACT-R35 – Heading has accessible name (536)

---

This rule applies to any HTML element with the semantic role of heading that is included in the accessibility tree.

- <https://act-rules.github.io/rules/ffd0e9>
- WCAG 2.1, Level A: 1.3.1 (<https://www.w3.org/TR/WCAG21/#info-and-relationships>)

Veebilehekülg: <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/>

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(2)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://kul.ee/kultuur2030>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(2)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://kul.ee/kontakt>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > section:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > h4:nth-child(3)

```
<h4><a class="text-secondary show-list-items " data-slidetoggle="list-hidden-1" href="#"><span class="hidden" data-close-label="" _selector="html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > section:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) >
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://kul.ee/arhitektuur>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(6)

```
<h3></h3>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(8)

```
<h3></h3>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/euroopa-liit>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://kul.ee/asutus-uudised-ja-kontakt/kultuuriministeerium/toole-voi-praktikale>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(2)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond/filmide-toetuskava-film-estonia>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(22)

```
<h3>&nbsp;</h3>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

Veebilehekülg: <https://kul.ee/kunstid-ja-loomemajandus/audiovisuaalvaldkond/filmikunst>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(2)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/kunst>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4>&nbsp;</h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://kul.ee/kunstid-ja-loomemajandus/loomemajandus/loomemajanduse-arendamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > h5:nth-child(1)

```
<h5></h5>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://kul.ee/rahvakultuur>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4>&nbsp;</h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4>&nbsp;</h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

## QW-ACT-R16 – Form control has accessible name (710)

Form control has accessible name

- <https://act-rules.github.io/rules/e086e5>
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://kul.ee/kontakt>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > section:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > form:nth-child(3) > div:nth-child(1) > select:nth-child(1)

```
<select class="form-control has-value-vp form-select" data-drupal-selector="edit-department" id="edit-department" name="department">Kõik  
üksusedKultuuriministeeriumKantsleri valdkondSiseauditi osakond</select>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

## QW-ACT-R43 – Scrollable element is keyboard accessible (11)

---

This rule checks that scrollable elements can be scrolled by keyboard

- <https://act-rules.github.io/rules/0ssw9k>
- WCAG 2.1, Level A: 2.1.1 (<https://www.w3.org/TR/WCAG21/#keyboard>)
- WCAG 2.1, Level AAA: 2.1.3 (<https://www.w3.org/TR/WCAG21/#keyboard-no-exception>)

**Veebilehekülg:** <https://kul.ee/uuringud>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >  
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2)
```

```
<div class="w-100 table-responsive"> Uuringu nimetus Tulemuste avaldamise eeldatav aeg  
Disainikasutus Eesti ettevõtetes ja sihtasutustes 2023 Kultuuripärandi teadlikkuse  
indeksi väljatöötamine 2023 Eesti digikultuuri pakkumine ning Eesti elanike osalemine  
digikultuuris 2023 Eesti ühiskonna integratsiooni monitooring 2023 2024 Eesti keele õppe
```

**Tulemus:** This vertically/horizontally scrollable section element is not included in sequential focus navigation, nor does it have any descendants that are.