



Kontrolli aruanne

Kuupäev: 05.12.2023

Digiligipääsetavuse kontrolli aruanne

Kontrollitud teenus: <https://ria.ee/>, 05.12.2023 18:45

Testis kasutatud vaatepordi suurus: 1920px X 1080px

Veebilehekülje ligipääsetavuse kontroll on teostatud Salvia digiligipääsetavuse hindamistööriistaga (<https://github.com/accessibility-fi/salvia>), mis põhineb QualWebi avatud lähtekoodiga tarkvaral (<https://github.com/qualweb/core>). Veebilehekülje ligipääsetavuse testimine teostati automaatsete ACT-testimise reeglite alusel, mis on seotud WCAG 2.1 A- ja AA-taseme suuniste vastavusnõuetega (<https://github.com/qualweb/act-rules>).

Tulemuste Kokkuvõte

Kontrollitud Veebileheküljed

Kontrolliks valitud veebileheküljed (109):

- <https://ria.ee/>
- <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/ameti-ulesanded-ja-struktuur>
- <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/eelarve>
- <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/juhtkond>
- <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/kohtumised-huviruhmade-ja-lobistidega>
- <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/hanketeated>
- <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/korruptsioonivastane-tegevus>
- <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/ria-strateegia>
- <https://ria.ee/amet-uudised-ja-kontakt/dokumendiregister>
- <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/tootamine-rias>
- <https://ria.ee/amet-uudised-ja-kontakt/kontaktid/teabenoue>
- <https://ria.ee/amet-uudised-ja-kontakt/kontaktid/kasutajatugi>
- <https://ria.ee/amet-uudised-ja-kontakt/isikuandmete-tootlemine>
- <https://ria.ee/amet-uudised-ja-kontakt/uudised-pressikontakt/pressikontakt>
- <https://ria.ee/en/access-denied>
- <https://ria.ee/juurdepaasetavus>
- <https://ria.ee/kuberturbe-nouanded/infomaterjalid-ja-kirjutised/kuberturvalisuse-infomaterjalid>
- <https://ria.ee/kuberturbe-nouanded/infomaterjalid-ja-kirjutised/nutiseadmete-ruutimisest>
- <https://ria.ee/kuberturbe-nouanded/infomaterjalid-ja-kirjutised/ulevaated>
- <https://ria.ee/kontakt>
- <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele>
- <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/>

lunavarakampaania-ennetamine

- <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/kuberturbesoovitused-tippjuhile>
- <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/soovitused-elutahtsaolulise-teenuse-osutajale>
- <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/nouanded-paroolile>
- <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/teenusetokestusrunde-ennetus>
- <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/internetist-kattesaadavad-teenused>
- <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale>
- <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/kruptoraha-kaevandamise-ennetus>
- <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/kuberturvalisuse-abc>
- <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/nutitelefon>
- <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/pahavara-ongitsuslehed-ja-libaloosimised>
- <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/vananenud-tarkvara>
- <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2018>
- <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/parool>
- <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2019>
- <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2020>
- <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2021>
- <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2022>
- <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2023>
- <https://ria.ee/kuberturvalisus/jarelevalve/haldus-ja-riiklik-jarelevalve>
- <https://ria.ee/kuberturvalisus/kriitilise-infrastruktuuri-kuberkaitse/kriitilise-infrastruktuuri-kuberkaitse>
- <https://ria.ee/kuberturvalisus/kriitilise-infrastruktuuri-kuberkaitse/kriisivalmisolek-ja-oppused>
-

<https://ria.ee/kuberturvalisus/kuberintsidentide-kasitlemine-cert-ee/kuberintsidendist-teavitamine>

- <https://ria.ee/kuberturvalisus/kuberintsidentide-kasitlemine-cert-ee/kuberruumi-seire-ja-intsidentide-tokestamine>
- <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus>
- <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/ennetustegevus>
- <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/fooriprotokoll>
- <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/julgeolekuolukord-euroopas>
- <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/kubertest>
- <https://ria.ee/kuberturvalisus/ncsc-ee/kuberturvalisuse-keskus-ncsc-ee>
- <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/ohuhinnangud>
- <https://ria.ee/kuberturvalisus/riigi-infoturbe-meetmete-haldus/eesti-infoturbestandard-e-its>
- <https://ria.ee/kuberturvalisus/rahvusvahelised-projektid/rahvusvahelised-projektid>
- <https://ria.ee/kuberturvalisus/riigi-infoturbe-meetmete-haldus/infosusteemide-turvameetmete-susteem-iske>
- <https://ria.ee/kuberturvalisus/riiklik-koordinatsioonikeskus-ncc-ee/cyberwizards>
- <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/olukord-kuberruumis>
- <https://ria.ee/kuberturvalisus/riiklik-koordinatsioonikeskus-ncc-ee/kuberpoore>
- <https://ria.ee/kuberturvalisus/riiklik-koordinatsioonikeskus-ncc-ee/ria-cybermeetup>
- <https://ria.ee/kuberturvalisus/riiklik-koordinatsioonikeskus-ncc-ee/riiklik-koordinatsioonikeskus-ncc-ee>
- <https://ria.ee/kupsised>
- https://ria.ee/otsing?type=Uudis&sort_by=created
- <https://ria.ee/ligipaas-keelatud>
- <https://ria.ee/riigi-infosusteem/andmepohine-riigivalitsemine-ja-andmete->

taaskasutus/avaandmete-teabevarav

- <https://ria.ee/riigi-infosusteem/andmepohine-riigivalitsemine-ja-andmete-taaskasutus/riha-ja-rihake>
- <https://ria.ee/riigi-infosusteem/andmevahetuse-platvormid/andmevahetuskiht-x-tee>
- <https://ria.ee/riigi-infosusteem/andmevahetuse-platvormid/dokumendivahetuskiht-dhx>
- <https://ria.ee/riigi-infosusteem/andmevahetuse-platvormid/euroopa-liidu-uhtne-digivarav-sdg>
- <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/ebsi-eestis>
- <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/digiallkirja-serverteenused>
- <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/eid-kompetentsikeskus>
- <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/eid-loppkasutaja-rakendused>
- <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/elektrooniline-identiteet-eid>
- <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/eid-integratsioonivahendid>
- <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/kesksed-autentimisteenused>
- <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/pilootprojekt-potential>
- <https://ria.ee/riigi-infosusteem/infouhiskonna-teadlikkuse-tostmine/eli-struktuuritoetuse-toetuskeem>
- <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/usaldusteenused-ja-koostoo>
- <https://ria.ee/riigi-infosusteem/inimkeskne-andmehaldus/andmejalgija>
- <https://ria.ee/riigi-infosusteem/infouhiskonna-teadlikkuse-tostmine/programm-2007-2015>
- <https://ria.ee/riigi-infosusteem/kesksed-platvormid-avalike-e-teenuste-pakkumiseks/paasuke>
-

- <https://ria.ee/riigi-infosusteem/inimkeskne-andmehaldus/nousolekuteenus>
- <https://ria.ee/riigi-infosusteem/kesksed-platvormid-avalike-e-teenuste-pakkumiseks/sundmusteenuste-platvorm>
- <https://ria.ee/riigi-infosusteem/kesksed-platvormid-avalike-e-teenuste-pakkumiseks/riigiportaal-eestiee>
- <https://ria.ee/riigi-infosusteem/kesksete-riiklike-infosusteemide-arendus/valimiste-infosusteem-ja-e-haaletamine>
- <https://ria.ee/riigi-infosusteem/masinoppe-ja-keeletehnoloogia-lahendused/burokratt>
- <https://ria.ee/riigi-infosusteem/masinoppe-ja-keeletehnoloogia-lahendused/mriik>
- <https://ria.ee/riigi-infosusteem/riigivorgu-teenused/riigivorgu-andmesideteenused>
- <https://ria.ee/ru/v-dostupe-otkazano>
- <https://ria.ee/riigi-infosusteem/valimiste-avaandmete-kasutusjuhend>
- <https://ria.ee/uudised/kaitsevaekohustuse-taitma-asumine-lihtsustub>
- <https://ria.ee/uudised/suhtluskeskkonda-vestluseestiee-saab-kasutada-veel-kuni-18122023>
- <https://ria.ee/uudised/ria-ja-cybernetica-alustavad-eesti-digiidentiteedi-kukru-valjatootamist>
- <https://ria.ee/sundmused>
- <https://ria.ee/amet-uudised-ja-kontakt/rahvusvaheline-koostoo/struktuuritoetust-saanud-projektid>
- <https://ria.ee/en/authority-news-and-contact/authority-and-management/tasks-and-structure-authority>
- <https://ria.ee/amet-uudised-ja-kontakt/uudised-pressikontakt/juhendid>
- <https://ria.ee/amet-uudised-ja-kontakt/uudised-pressikontakt/uuringud-ja-analuusid>
- <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/turvanorkused>
- https://ria.ee/otsing?keyword=RIA&sort_by=created
- <https://ria.ee/ru/departament-novosti-i-kontakt/departament-i-rukovodstvo/zadachi-i-struktura-departamenta>
- <https://ria.ee/en>
-

<https://ria.ee/ru/departament-novosti-i-kontakt/departament-i-rukovodstvo/byudzhnet>

- <https://ria.ee/en/authority-news-and-contact/authority-and-management/contract-notices>
- <https://ria.ee/ru/departament-novosti-i-kontakt/departament-i-rukovodstvo/gospostavki>
- <https://ria.ee/en/authority-news-and-contact/authority-and-management/management>
- <https://ria.ee/ru/departament-novosti-i-kontakt/departament-i-rukovodstvo/rukovodstvo>
- https://ria.ee/otsing?keyword=Kohtumised&sort_by=created
- <https://ria.ee/ru>

Teostatud Testid

Järgmistes testides leiti ligipääsetavusnõuetele mittevastavust (6):

- QW-ACT-R12, Link has accessible name (<https://act-rules.github.io/rules/c487ae>)
- QW-ACT-R65, Element with presentational children has no focusable content (<https://act-rules.github.io/rules/307n5z>)
- QW-ACT-R17, Image has accessible name (<https://act-rules.github.io/rules/23a2a8>)
- QW-ACT-R16, Form control has accessible name (<https://act-rules.github.io/rules/e086e5>)
- QW-ACT-R18, `id` attribute value is unique (<https://act-rules.github.io/rules/3ea0c8>)
- QW-ACT-R35, Heading has accessible name (<https://act-rules.github.io/rules/ffd0e9>)

Veebi ligipääsetavuse suunistele vastavust või mittevastavust ei saanud järgmiste automaattestidega kindlaks teha (9):

- QW-ACT-R63, Document has a landmark with non-repeated content (<https://act-rules.github.io/rules/b40fd1>)
- QW-ACT-R64, Document has heading for non-repeated content (<https://act-rules.github.io/rules/047fe0>)
- QW-ACT-R73, Block of repeated content is collapsible (<https://act-rules.github.io/rules/3e12e1>)
- QW-ACT-R74, Document has an instrument to move focus to non-repeated content (<https://act-rules.github.io/rules/ye5d6e>)
- QW-ACT-R62, Element in sequential focus order has visible focus (<https://act-rules.github.io/rules/oj04fd>)
- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)
- QW-ACT-R41, Error message describes invalid form field value (<https://act-rules.github.io/rules/36b590>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)
- QW-ACT-R40, Zoomed text node is not clipped with CSS overflow (<https://act-rules.github.io/rules/59br37>)

Järgmistes testides ei leitud nõuetele mittevastavust (23):

- QW-ACT-R1, HTML Page has a title (<https://act-rules.github.io/rules/2779a5>)
- QW-ACT-R2, HTML has lang attribute (<https://act-rules.github.io/rules/b5c3f8>)
- QW-ACT-R5, Validity of HTML Lang attribute (<https://act-rules.github.io/rules/bf051a>)
- QW-ACT-R11, Button has accessible name (<https://act-rules.github.io/rules/97a4e1>)
- QW-ACT-R13, Element with `aria-hidden` has no focusable content (<https://act-rules.github.io/rules/6cfa84>)
- QW-ACT-R14, meta viewport does not prevent zoom (<https://act-rules.github.io/rules/b4f0c3>)

- QW-ACT-R18, `id` attribute value is unique (<https://act-rules.github.io/rules/3ea0c8>)
- QW-ACT-R28, Element with role attribute has required states and properties (<https://act-rules.github.io/rules/4e8ab6>)
- QW-ACT-R16, Form control has accessible name (<https://act-rules.github.io/rules/e086e5>)
- QW-ACT-R20, role attribute has valid value (<https://act-rules.github.io/rules/674b10>)
- QW-ACT-R17, Image has accessible name (<https://act-rules.github.io/rules/23a2a8>)
- QW-ACT-R35, Heading has accessible name (<https://act-rules.github.io/rules/ffd0e9>)
- QW-ACT-R65, Element with presentational children has no focusable content (<https://act-rules.github.io/rules/307n5z>)
- QW-ACT-R75, Bypass Blocks of Repeated Content (<https://act-rules.github.io/rules/cf77f2>)
- QW-ACT-R68, Line height in style attributes is not !important (<https://act-rules.github.io/rules/78fd32>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)
- QW-ACT-R39, All table header cells have assigned data cells (<https://act-rules.github.io/rules/d0f69e>)
- QW-ACT-R38, ARIA required owned elements (<https://act-rules.github.io/rules/bc4a75>)
- QW-ACT-R33, ARIA required context role (<https://act-rules.github.io/rules/ff89c9>)
- QW-ACT-R43, Scrollable element is keyboard accessible (<https://act-rules.github.io/rules/0ssw9k>)
- QW-ACT-R30, Visible label is part of accessible name (<https://act-rules.github.io/rules/2ee8b8>)
- QW-ACT-R22, Element within body has valid lang attribute (<https://act-rules.github.io/rules/de46e4>)
- QW-ACT-R12, Link has accessible name (<https://act-rules.github.io/rules/c487ae>)

Testid, mis ei olnud kohaldatavad lehekülgedelt leitava sisu suhtes (41):

- QW-ACT-R4, Meta-refresh no delay (<https://act-rules.github.io/rules/bc659a>)
- QW-ACT-R43, Scrollable element is keyboard accessible (<https://act-rules.github.io/rules/0ssw9k>)
- QW-ACT-R3, HTML lang and xml:lang match (<https://act-rules.github.io/rules/5b7ae0>)
- QW-ACT-R6, Image button has accessible name (<https://act-rules.github.io/rules/59796f>)
- QW-ACT-R21, svg element with explicit role has accessible name (<https://act-rules.github.io/rules/7d6734>)
- QW-ACT-R22, Element within body has valid lang attribute (<https://act-rules.github.io/rules/de46e4>)
- QW-ACT-R38, ARIA required owned elements (<https://act-rules.github.io/rules/bc4a75>)
- QW-ACT-R10, `iframe` elements with identical accessible names have equivalent purpose (<https://act-rules.github.io/rules/4b1c6c>)
- QW-ACT-R33, ARIA required context role (<https://act-rules.github.io/rules/ff89c9>)
- QW-ACT-R19, iframe element has accessible name (<https://act-rules.github.io/rules/cae760>)
- QW-ACT-R58, audio element content has transcript (<https://act-rules.github.io/rules/2eb176>)
- QW-ACT-R59, audio element content is media alternative for text (<https://act-rules.github.io/rules/afb423>)
- QW-ACT-R30, Visible label is part of accessible name (<https://act-rules.github.io/rules/2ee8b8>)
- QW-ACT-R51, video element visual-only content is media alternative for text (<https://act-rules.github.io/rules/fd26cf>)
- QW-ACT-R52, video element visual-only content has description track (<https://act-rules.github.io/rules/ac7dc6>)
- QW-ACT-R53, video element visual-only content has transcript (<https://act-rules.github.io/rules/ee13b5>)

- QW-ACT-R54, video element visual-only content has audio track alternative (<https://act-rules.github.io/rules/d7ba54>)
- QW-ACT-R55, video element visual content has audio description (<https://act-rules.github.io/rules/1ea59c>)
- QW-ACT-R56, video element content is media alternative for text (<https://act-rules.github.io/rules/ab4d13>)
- QW-ACT-R57, video element visual content has description track (<https://act-rules.github.io/rules/f196ce>)
- QW-ACT-R60, video element auditory content has captions (<https://act-rules.github.io/rules/f51b46>)
- QW-ACT-R61, Audio and visuals of video element have transcript (<https://act-rules.github.io/rules/1a02b0>)
- QW-ACT-R49, Audio or video that plays automatically has no audio that lasts more than 3 seconds (<https://act-rules.github.io/rules/aaa1bf>)
- QW-ACT-R50, audio or video that plays automatically has a control mechanism (<https://act-rules.github.io/rules/4c31df>)
- QW-ACT-R24, autocomplete attribute has valid value (<https://act-rules.github.io/rules/73f2c2>)
- QW-ACT-R36, Headers attribute specified on a cell refers to cells in the same table element (<https://act-rules.github.io/rules/a25f45>)
- QW-ACT-R39, All table header cells have assigned data cells (<https://act-rules.github.io/rules/d0f69e>)
- QW-ACT-R42, Object element has non-empty accessible name (<https://act-rules.github.io/rules/8fc3b6>)
- QW-ACT-R67, Letter spacing in style attributes is not !important (<https://act-rules.github.io/rules/24afc2>)
- QW-ACT-R68, Line height in style attributes is not !important (<https://act-rules.github.io/rules/78fd32>)
- QW-ACT-R69, Word spacing in style attributes is not !important (<https://act-rules.github.io/rules/9e45ec>)
- QW-ACT-R66, MenuItem has non-empty accessible name (<https://act-rules.github.io/rules/m6b1q3>)
- QW-ACT-R7, Orientation of the page is not restricted using CSS transform property (<https://act-rules.github.io/rules/b33eff>)

- QW-ACT-R70, iframe with negative tabindex has no interactive elements (<https://act-rules.github.io/rules/akn7bn>)
- QW-ACT-R15, audio or video has no audio that plays automatically (<https://act-rules.github.io/rules/80f0bf>)
- QW-ACT-R23, video element visual content has accessible alternative (<https://act-rules.github.io/rules/c5a4ea>)
- QW-ACT-R26, video element auditory content has accessible alternative (<https://act-rules.github.io/rules/eac66b>)
- QW-ACT-R29, Audio element content has text alternative (<https://act-rules.github.io/rules/e7aa44>)
- QW-ACT-R31, Video element visual-only content has accessible alternative (<https://act-rules.github.io/rules/c3232f>)
- QW-ACT-R32, video element visual content has strict accessible alternative (<https://act-rules.github.io/rules/1ec09b>)
- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)

Leitud mittevastavused

QW-ACT-R12 – Link has accessible name (6462)

This rule checks that each link has an accessible name.

- <https://act-rules.github.io/rules/c487ae>
- WCAG 2.1, Level A: 2.4.4 (<https://www.w3.org/TR/WCAG21/#link-purpose-in-context>)
- WCAG 2.1, Level AAA: 2.4.9 (<https://www.w3.org/TR/WCAG21/#link-purpose-link-only>)
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://ria.ee/>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > a:nth-child(1)

```
<a href="javascript:void(0)" class="d-flex justify-content-center align-items-center mr-2 cLndr-previous-button"> </a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > a:nth-child(2)

```
<a href="javascript:void(0)" class="d-flex justify-content-center align-items-center cInDr-next-button"> </a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/ameti-ulesanded-ja-struktuur>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/eelarve>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)
```

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/juhtkond>

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)
```

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/kohtumised-huviruhmade-ja-lobistidega>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/hanketeated>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/korrupsioonivastane-tegevus>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/ria-strategia>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/dokumendiregister>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/tootamine-rias>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(2) > li:nth-child(1) > a:nth-child(1)

```
<a class="c-toggle-icon" id="tab-cards-tab" data-toggle="pill" href="#tab-cards"> </a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(2) > li:nth-child(2) > a:nth-child(1)

```
<a class="c-toggle-icon active" id="tab-table-tab" data-toggle="pill" href="#tab-table">
    </a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

[Veebilehekülg: https://ria.ee/amet-uudised-ja-kontakt/kontaktid/teabenoue](https://ria.ee/amet-uudised-ja-kontakt/kontaktid/teabenoue)

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

[Veebilehekülg: https://ria.ee/amet-uudised-ja-kontakt/kontaktid/kasutajatugi](https://ria.ee/amet-uudised-ja-kontakt/kontaktid/kasutajatugi)

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/isikuandmete-tootlemine>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/uudised-pressikontakt/pressikontakt>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/en/access-denied>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/juurdepaasetavus>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/infomaterjalid-ja-kirjutised/kuberturvalisuse-infomaterjalid>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/infomaterjalid-ja-kirjutised/nutiseadmete-ruutimisest>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/infomaterjalid-ja-kirjutised/ulevaated>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kontakt>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/lunavarakampaania-ennetamine>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/kuberturbesoovitused-tippjuhile>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/soovitused-elutahtsaolulise-teenuse-osutajale>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/nouanded-paroolile>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-asutusele-ja-ettevottele/teenusetokestusrunde-ennetus>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/internetist-kattesaadavad-teenused>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/kruptoraha-kaevandamise-ennetus>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/kuberturvalisuse-abc>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/nutitelefon>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/pahavara-ongitsuslehed-ja-libaloosimised>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/vananenud-tarkvara>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2018>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturbe-nouanded/nouanded-internetikasutajale/parool>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2019>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2020>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2021>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2022>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/jarelevalve/ettekirjutused-ja-otsused-2023>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/jarelevalve/haldus-ja-riiklik-jarelevalve>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kriitilise-infrastruktuuri-kuberkaitse/kriitilise-infrastruktuuri-kuberkaitse>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kriitilise-infrastruktuuri-kuberkaitse/kriisivalmisolek-ja-opposed>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberintsidentide-kasitlemine-cert-ee/kuberintsidendist-teavitamine>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberintsidentide-kasitlemine-cert-ee/kuberruumi-seire-ja-intsidentide-tokestamine>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

[Veebilehekülg: https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus](https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus)

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/ennetustegevus>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/fooriprotokoll>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/julgeolekuolukord-euroopas>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/kubertest>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/ncsc-ee/kuberturvalisuse-keskus-ncsc-ee>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/ohuhinnangud>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/riigi-infoturbe-meetmete-haldus/eesti-infoturbestandard-e-its>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/rahvusvahelised-projektid/rahvusvahelised-projektid>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/riigi-infoturbe-meetmete-haldus/infosusteemide-turvameetmete-susteeem-iske>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/riiklik-koordinatsioonikeskus-ncc-ee/cyberwizards>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/olukord-kuberruumis>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/riiklik-koordinatsioonikeskus-ncc-ee/kuberpoore>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/riiklik-koordinatsioonikeskus-ncc-ee/ria-cybermeetup>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/riiklik-koordinatsioonikeskus-ncc-ee/riiklik-koordinatsioonikeskus-ncc-ee>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kupsised>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: https://ria.ee/otsing?type=Uudis&sort_by=created

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/ligipaas-keelatud>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/andmepohine-riigivalitsemine-ja-andmete-taaskasutus/avaandmete-teabevarav>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/andmepohine-riigivalitsemine-ja-andmete-taaskasutus/riha-ja-rihake>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/andmevahetuse-platvormid/andmevahetuskiht-x-tee>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosustem/andmevahetuse-platvormid/dokumendivahetuskiht-dhx>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/andmevahetuse-platvormid/euroopa-liidu-uhtne-digivarav-sdg>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/ebsi-eestis>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/digiallkirja-serverteenused>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/eid-kompetentsikeskus>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/eid-loppkasutaja-rakendused>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/elektrooniline-identiteet-eid>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/eid-integratsioonivahendid>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/kesksed-autentimisteenused>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/pilootprojekt-potential>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/infouhiskonna-teadlikkuse-tostmine/eli-struktuuritoetuse-toetuskeem>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/elektrooniline-identiteet-ja-usaldusteenused/usaldusteenused-ja-koostoo>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/inimkeskne-andmehaldus/andmealgija>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/infouhiskonna-teadlikkuse-tostmine/programm-2007-2015>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/kesksed-platvormid-avalike-teenuste-pakkumiseks/paasuke>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/inimkeskne-andmehaldus/nousolekuteenus>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/kesksed-platvormid-avalike-teenuste-pakkumiseks/sundmusteenuste-platvorm>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/kesksed-platvormid-avalike-teenuste-pakkumiseks/riigiportaal-eestie>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/kesksete-riiklike-infosusteemide-arendus/valimiste-infosusteem-ja-e-haaletamine>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/masinoppe-ja-keeletehnoloogia-lahendused/burokratt>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/masinoppe-ja-keeletehnoloogia-lahendused/mriik>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/riigivorgu-teenused/riigivorgu-andmesideteenused>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/ru/v-dostupe-otkazano>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/riigi-infosusteem/valimiste-avaandmete-kasutusjuhend>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/uudised/kaitsevaekohustuse-taitma-asumine-lihtsustub>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty

(").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/uudised/suhtluskeskkonda-vestluseestiee-saab-kasutada-veel-kuni-18122023>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/uudised/ria-ja-cybernetica-alustavad-eeesti-digiidentiteedi-kukru-valjatootamist>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(3) > div:nth-child(1) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/sundmused>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/  
#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-  
child(3) > a:nth-child(1)
```

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></  
a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >  
header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-  
child(4) > a:nth-child(1)
```

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/rahvusvaheline-koostoo/struktuuritoetust-saanud-projektid>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/en/authority-news-and-contact/authority-and-management/tasks-and-structure-authority>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/uudised-pressikontakt/juhendid>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/uudised-pressikontakt/uuringud-ja-analuusid>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/turvanorkused>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

[Veebilehekülg: https://ria.ee/otsing?keyword=RIA&sort_by=created](https://ria.ee/otsing?keyword=RIA&sort_by=created)

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/ru/departament-novosti-i-kontakt/departament-i-rukovodstvo/zadachi-i-struktura-departamenta>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/ru/departament-novosti-i-kontakt/departament-i-rukovodstvo/byudzhnet>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/en/authority-news-and-contact/authority-and-management/contract-notice>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/ru/departament-novosti-i-kontakt/departament-i-rukovodstvo/gospstavki>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/en/authority-news-and-contact/authority-and-management/management>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://ria.ee/ru/departament-novosti-i-kontakt/departament-i-rukovodstvo/rukovodstvo>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

[Veebilehekülg: https://ria.ee/otsing?keyword=Kohtumised&sort_by=created](https://ria.ee/otsing?keyword=Kohtumised&sort_by=created)

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty (").

QW-ACT-R65 – Element with presentational children has no focusable content (20)

This rule checks that elements with a role that makes its children presentational do not contain focusable elements.

- <https://act-rules.github.io/rules/307n5z>
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/amet-ja-juhtkond/tootamine-rias>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(2) > li:nth-child(1)

```
<li class="nav-item mr-1" role="tab"></li>
```

Tulemus: The element has descendants in the flat tree that are part of sequential focus navigation.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(2) > li:nth-child(2)

```
<li class="nav-item" role="tab" aria-selected="true"></li>
```

Tulemus: The element has descendants in the flat tree that are part of sequential focus navigation.

QW-ACT-R17 – Image has accessible name (1626)

This rule checks that each image that is not marked as decorative, has an accessible name.

- <https://act-rules.github.io/rules/23a2a8>
- WCAG 2.1, Level A: 1.1.1 (<https://www.w3.org/TR/WCAG21/#non-text-content>)

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/uudised-pressikontakt/pressikontakt>

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

Veebilehekülg: <https://ria.ee/kuberturvalisus/rahvusvahelised-projektid/rahvusvahelised-projektid>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(6) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(7) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

Veebilehekülg: https://ria.ee/otsing?type=Uudis&sort_by=created

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > div:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(5) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(6) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(7) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(8) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(9) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(10) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

Veebilehekülg: <https://ria.ee/sundmused>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

[Veebilehekülg: https://ria.ee/otsing?keyword=RIA&sort_by=created](https://ria.ee/otsing?keyword=RIA&sort_by=created)

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(5) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(8) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(9) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(10) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

Veebilehekülg: https://ria.ee/otsing?keyword=Kohtumised&sort_by=created

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

QW-ACT-R16 – Form control has accessible name (345)

Form control has accessible name

- <https://act-rules.github.io/rules/e086e5>
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://ria.ee/kontakt>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > section:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > form:nth-child(3) > div:nth-child(1) > select:nth-child(1)

```
<select class="form-control has-value-vp form-select" data-drupal-selector="edit-department" id="edit-department" name="department">Kõik üksusedRiigi Infosüsteemi  
AmetõigusosakondKommunikatsiooniosakondPersonaliosakondFinantsosakondInfoturbe  
osakondStrateegia ja kliendikogemuse osakondEriprojektide osakondRiigi infosüsteemi
```

Tulemus: The test target accessible name doesn't exist or it's empty ('').

QW-ACT-R18 – `id` attribute value is unique (1903)

This rule checks that all id attribute values on a single page are unique.

- <https://act-rules.github.io/rules/3ea0c8>
- WCAG 2.1, Level A: 4.1.1 (<https://www.w3.org/TR/WCAG21/#parsing>)

Veebilehekülg: <https://ria.ee/kuberturvalisus/kuberruumi-analuus-ja-ennetus/olukord-kuberruumis>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(3)

```
<div id="accordion" class="collapse-vp w-100 mb-3 paragraph paragraph--type--accordion paragraph--view-mode--view-mode-selector"> Detsember 2023 Kuupäev Kokkuvõte 5.12.2023 CERT-EE tuvastas ööpäevaga viis pahavaraga nakatunud veebilehte ja serverit, mille kaudu üritati Eesti internetikasutajate seadmeid rünnata ja nakatada. Seire käigus tuvastati
```

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(19) > div:nth-child(2)
```

```
<div id="accordion" class="vertical-tab-container-vp border-top row no-gutters w-100 mb-3 paragraph paragraph--type--accordion paragraph--view-mode--default"> AutomaatseireArvepettus ehk BEC-skeemDDoS ehk teenustökestusrünnakKüberkuriteguLunavararünnakPahavaraTegevjuhi petuskeemÕngitsuslehed
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: https://ria.ee/otsing?type=Uudis&sort_by=created

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(1)
```

```
<path d="M9.76470588,3.72058824 L9.76470588,5.22058824 C7.255059,5.22058824 5.22058824,7.255059 5.22058824,9.76470588 L3.72058824,9.76470588 C3.72058824,6.42663188 6.42663188,3.72058824 9.76470588,3.72058824 Z" id="Oval-3"></path>
```

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(3)
```

```
<path d="M9.47058824,18.9411765 C4.24012678,18.9411765 0,14.7010497 0,9.47058824
C0,4.24012678 4.24012678,0 9.47058824,0 C14.7010497,0 18.9411765,4.24012678
18.9411765,9.47058824 C18.9411765,14.7010497 14.7010497,18.9411765 9.47058824,18.9411765
Z M9.47058824,16.9411765 C13.5964802,16.9411765 16.9411765,13.5964802
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: https://ria.ee/otsing?keyword=RIA&sort_by=created

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-
child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-
child(1) > path:nth-child(1)
```

```
<path d="M9.76470588,3.72058824 L9.76470588,5.22058824 C7.255059,5.22058824
5.22058824,7.255059 5.22058824,9.76470588 L3.72058824,9.76470588 C3.72058824,6.42663188
6.42663188,3.72058824 9.76470588,3.72058824 Z" id="Oval-3"></path>
```

ELEMENT:

```
html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-
child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-
child(1) > path:nth-child(3)
```

```
<path d="M9.47058824,18.9411765 C4.24012678,18.9411765 0,14.7010497 0,9.47058824
C0,4.24012678 4.24012678,0 9.47058824,0 C14.7010497,0 18.9411765,4.24012678
18.9411765,9.47058824 C18.9411765,14.7010497 14.7010497,18.9411765 9.47058824,18.9411765
Z M9.47058824,16.9411765 C13.5964802,16.9411765 16.9411765,13.5964802
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: https://ria.ee/otsing?keyword=Kohtumised&sort_by=created

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(1)

```
<path d="M9.76470588,3.72058824 L9.76470588,5.22058824 C7.255059,5.22058824 5.22058824,7.255059 5.22058824,9.76470588 L3.72058824,9.76470588 C3.72058824,6.42663188 6.42663188,3.72058824 9.76470588,3.72058824 Z" id="0val-3"></path>
```

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(3)

```
<path d="M9.47058824,18.9411765 C4.24012678,18.9411765 0,14.7010497 0,9.47058824 C0,4.24012678 4.24012678,0 9.47058824,0 C14.7010497,0 18.9411765,4.24012678 18.9411765,9.47058824 C18.9411765,14.7010497 14.7010497,18.9411765 9.47058824,18.9411765 Z M9.47058824,16.9411765 C13.5964802,16.9411765 16.9411765,13.5964802
```

Tulemus: Several elements have the same `id` attribute.

QW-ACT-R35 – Heading has accessible name (297)

This rule applies to any HTML element with the semantic role of heading that is included in the accessibility tree.

- <https://act-rules.github.io/rules/ffd0e9>
- WCAG 2.1, Level A: 1.3.1 (<https://www.w3.org/TR/WCAG21/#info-and-relationships>)

Veebilehekülg: <https://ria.ee/kuberturvalisus/riiklik-koordinatsioonikeskus-ncc-ee/riiklik-koordinatsioonikeskus-ncc-ee>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > h4:nth-child(2)

```
<h4 class="card-title"></h4>
```

Tulemus: The test target accessible name doesn't exist or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > div:nth-child(1) > h4:nth-child(2)

```
<h4 class="card-title"></h4>
```

Tulemus: The test target accessible name doesn't exist or it's empty (").

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > h4:nth-child(2)

```
<h4 class="card-title"></h4>
```

Tulemus: The test target accessible name doesn't exist or it's empty (").

Veebilehekülg: <https://ria.ee/amet-uudised-ja-kontakt/uudised-pressikontakt/>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4></h4>
```

Tulemus: The test target accessible name doesn't exist or it's empty ('').