



Kontrolli aruanne

Kuupäev: 06.12.2023

# Digiligipääsetavuse kontrolli aruanne

Kontrollitud teenus: <https://transpordiamet.ee/>, 06.12.2023 16:26

Testis kasutatud vaatepordi suurus: 1920px X 1080px

Veebilehekülje ligipääsetavuse kontroll on teostatud Salvia digiligipääsetavuse hindamistööriistaga (<https://github.com/accessibility-fi/salvia>), mis põhineb QualWebi avatud lähtekoodiga tarkvaral (<https://github.com/qualweb/core>). Veebilehekülje ligipääsetavuse testimine teostati automaatsete ACT-testimise reeglite alusel, mis on seotud WCAG 2.1 A- ja AA-taseme suuniste vastavusnõuetega (<https://github.com/qualweb/act-rules>).

# Tulemuste Kokkuvõte

## Kontrollitud Veebileheküljed

---

Kontrolliks valitud veebileheküljed (150):

- <https://transpordiamet.ee/EELU2021>
- <https://transpordiamet.ee/NtM>
- <https://transpordiamet.ee/>
- <https://transpordiamet.ee/aeronavigatsiooniteenus>
- <https://transpordiamet.ee/andmekaitsetingimused>
- <https://transpordiamet.ee/ariline-lennutransport>
- <https://transpordiamet.ee/avatud-kategooria>
- <https://transpordiamet.ee/autokoolide-statistika>
- <https://transpordiamet.ee/bussiliinid>
- <https://transpordiamet.ee/digiajakiri>
- <https://transpordiamet.ee/dokumendiregister>
- <https://transpordiamet.ee/droonide-kaardirakendus>
- <https://transpordiamet.ee/droonid>
- <https://transpordiamet.ee/eesti-teedevork>
- <https://transpordiamet.ee/elektrooniline-mereinfosüsteem>
- <https://transpordiamet.ee/elektritoukeratas>
- <https://transpordiamet.ee/en>
- <https://transpordiamet.ee/elusloodus>
- <https://transpordiamet.ee/ennetuskampaaniad>
- <https://transpordiamet.ee/erikategooria>
- <https://transpordiamet.ee/fpv-lennud>
- <https://transpordiamet.ee/hooldusorganisatsioonid>
- <https://transpordiamet.ee/ettekirjutused>
- <https://transpordiamet.ee/instrumentaallennuvaljad>
- <https://transpordiamet.ee/iseteenindused>
- <https://transpordiamet.ee/isejuhtivad-soidukid>
- <https://transpordiamet.ee/its-arengukava-2021-2025>
-

- <https://transpordiamet.ee/jaamurre-ja-talvine-navigatsioon>
- <https://transpordiamet.ee/jaateed>
  - <https://transpordiamet.ee/jalgrattajuhiluba>
  - <https://transpordiamet.ee/juhendid>
  - <https://transpordiamet.ee/jarelevalve>
  - <https://transpordiamet.ee/juhiabisusteemid>
  - <https://transpordiamet.ee/juurdepaasetavus>
  - <https://transpordiamet.ee/juhiluba>
  - <https://transpordiamet.ee/kasutatud-soiduki-ostjale>
  - <https://transpordiamet.ee/katseprojektid>
  - <https://transpordiamet.ee/keskkonnamoju>
  - <https://transpordiamet.ee/kiiruskaamerad>
  - <https://transpordiamet.ee/kergliiklejate-arv-riigiteede-aares>
  - <https://transpordiamet.ee/kkk-kuidas-toimub-keskmise-kiiruse-mootmise-katseprojekt>
  - <https://transpordiamet.ee/kohtumised-lobistidega>
  - <https://transpordiamet.ee/kontrollpiloodid>
  - <https://transpordiamet.ee/koolitajate-jarelevalve>
  - <https://transpordiamet.ee/kupsised>
  - <https://transpordiamet.ee/korgussusteem>
  - <https://transpordiamet.ee/kutseline-autojuht>
  - <https://transpordiamet.ee/laevad-eesti-lipu-alla>
  - <https://transpordiamet.ee/laevade-jarelevalve>
  - <https://transpordiamet.ee/kontakt>
  - <https://transpordiamet.ee/laevaliikluse-korraldamine>
  - <https://transpordiamet.ee/laevaonnetused>
  - <https://transpordiamet.ee/laevaliinid>
  - <https://transpordiamet.ee/laevapere-liikmed>
  - <https://transpordiamet.ee/laevaregistrid>
  - <https://transpordiamet.ee/lennuettevotjad>
  - <https://transpordiamet.ee/lennuinformaator>
  - <https://transpordiamet.ee/lennujuht>
  - <https://transpordiamet.ee/lennujuhtumist-teavitamine>
  - <https://transpordiamet.ee/lennujulgestusinstruktorid>
  -

- <https://transpordiamet.ee/lennukolblikkus>
- <https://transpordiamet.ee/lennukolblikkuse-korraldajad>
  - <https://transpordiamet.ee/lennuliinid>
  - <https://transpordiamet.ee/lennundus-ja-lennuohutus/droonidmehitamata-ohusoidukid/kaitajaks-registreerimine>
  - <https://transpordiamet.ee/lennundus-ja-lennuohutus/droonidmehitamata-ohusoidukid/kaugpiloodi-padevused>
  - <https://transpordiamet.ee/lennundus-ja-lennuohutus/lennuohutus/lennundusalased-uldkorralduslikud-ettekirjutused>
  - <https://transpordiamet.ee/lennundus-ja-lennuohutus/lennuohutus/lennureisija-tervisealane-teave>
  - <https://transpordiamet.ee/lennundusalased-koolitajad>
  - <https://transpordiamet.ee/lennunduse-terviseetoend>
  - <https://transpordiamet.ee/lennundusjulgestus>
  - <https://transpordiamet.ee/lennundusteated>
  - <https://transpordiamet.ee/lennundustehniline-tootaja>
  - <https://transpordiamet.ee/lennuohutus>
  - <https://transpordiamet.ee/lennutegevuse-juhtum-teavitamine>
  - <https://transpordiamet.ee/lennuohutusosalased-kokkuvotted>
  - <https://transpordiamet.ee/lennureisil-keelatud-esemed>
  - <https://transpordiamet.ee/lennutood>
  - <https://transpordiamet.ee/lennuvaljad>
  - <https://transpordiamet.ee/levinud-kusimused>
  - <https://transpordiamet.ee/levinud-kusimused-lipuriigi-kohta>
  - <https://transpordiamet.ee/liiklusaasta-ulevaade-2022>
  - <https://transpordiamet.ee/liikluskorraldus>
  - <https://transpordiamet.ee/liiklusjuhtimiskeskus>
  - <https://transpordiamet.ee/liiklusreeglid>
  - <https://transpordiamet.ee/liiklusohutusprogramm>
  - <https://transpordiamet.ee/liiklusregister>
  - <https://transpordiamet.ee/liiklussagedus>
  - <https://transpordiamet.ee/liikuvus-ja-transpordikorraldus/lennutootajad/piloot>
  - <https://transpordiamet.ee/liikuvus-ja-transpordikorraldus/meremehed/>

## meremeeste-diplomeerimine

- <https://transpordiamet.ee/liikuvuse-kavandamine>
- <https://transpordiamet.ee/listoflights>
- <https://transpordiamet.ee/liikuvuskava>
- <https://transpordiamet.ee/lootsiraamat>
- <https://transpordiamet.ee/lootsitasoit>
- <https://transpordiamet.ee/maanteeinfo-telefon-1247>
- <https://transpordiamet.ee/maa-vee-ohusoiduk/laevad/veeteetasud>
- <https://transpordiamet.ee/maanteel-tekkinud-kahju>
- <https://transpordiamet.ee/merekeele-noukoda>
- <https://transpordiamet.ee/merekeskkonna-kaitse>
- <https://transpordiamet.ee/meremeeste-diplomite-tunnustamine>
- <https://transpordiamet.ee/meremoodistamine>
- <https://transpordiamet.ee/merendus-ja-veeteed/laevad-eesti-lipu-alla/merenduse-infosusteemid>
- <https://transpordiamet.ee/merendus-ja-veeteed/laevad-eesti-lipu-alla/laevanduse-riigiabi>
- <https://transpordiamet.ee/merendus-ja-veeteed/navigatsiooniteave/reisilaevade-soidupiirkonnad>
- <https://transpordiamet.ee/mereturvalisus>
- <https://transpordiamet.ee/mittearilised-lennud>
- <https://transpordiamet.ee/mootorsoidukijuhi-juhendaja-ja-opetaja>
- <https://transpordiamet.ee/mootorsoidukijuhi-koolitus>
- <https://transpordiamet.ee/mootorsoidukijuhi-opetaja>
- <https://transpordiamet.ee/mura-ja-valisohk>
- <https://transpordiamet.ee/nefab>
- <https://transpordiamet.ee/muud-soidukitega-seotud-toimingud>
- <https://transpordiamet.ee/ohtlik-last>
- <https://transpordiamet.ee/ohuruumi-takistused>
- <https://transpordiamet.ee/navigatsioonikaardid>
- [https://transpordiamet.ee/otsing?keyword=Ehitusload&sort\\_by=created](https://transpordiamet.ee/otsing?keyword=Ehitusload&sort_by=created)
- <https://transpordiamet.ee/ohusoidukite-register>
- <https://transpordiamet.ee/oigusaktid>
- <https://transpordiamet.ee/otsing?keyword=Keskkonnamõju hindamise>

teated&sort\_by=created

- [https://transpordiamet.ee/otsing?keyword=Projekteerimistingimused&sort\\_by=created](https://transpordiamet.ee/otsing?keyword=Projekteerimistingimused&sort_by=created)
- <https://transpordiamet.ee/poordu-transpordiameti-poole>
- <https://transpordiamet.ee/puistlastilaevade-terminalide-ohutusnouded>
- [https://transpordiamet.ee/otsing?type=Uudis&sort\\_by=created](https://transpordiamet.ee/otsing?type=Uudis&sort_by=created)
- <https://transpordiamet.ee/rahvusvaheline-juhiluba>
- <https://transpordiamet.ee/rahvusvahelised-merenduskonventsioonid>
- <https://transpordiamet.ee/raportid>
- <https://transpordiamet.ee/registreerimine-ja-ost-muuk>
- <https://transpordiamet.ee/riigiteede-korrashoiu-kutsevoistlus>
- <https://transpordiamet.ee/riigiteede-seisukord>
- <https://transpordiamet.ee/riigiteede-juhendid>
- <https://transpordiamet.ee/rongireisijate-oigused>
- <https://transpordiamet.ee/ru>
- <https://transpordiamet.ee/sadamaregister>
- <https://transpordiamet.ee/sadamate-jarelevalve>
- <https://transpordiamet.ee/ringkirjad>
- <https://transpordiamet.ee/sadamate-kulastusandmed>
- <https://transpordiamet.ee/sadamate-ohutus>
- <https://transpordiamet.ee/salongipersonal>
- <https://transpordiamet.ee/sillad>
- <https://transpordiamet.ee/sadamate-turvalisus>
- <https://transpordiamet.ee/soiduki-ost-muuk>
- <https://transpordiamet.ee/smart-e263e77>
- <https://transpordiamet.ee/soiduki-lammutamine>
- <https://transpordiamet.ee/soidukite-jarelevalve>
- <https://transpordiamet.ee/soidukite-liiklusregistrist-kustutamine>
- <https://transpordiamet.ee/soidukite-tehnoulevaatus>
- <https://transpordiamet.ee/statistika>
- <https://transpordiamet.ee/soidumeerikud>
- <https://transpordiamet.ee/struktuur>
- <https://transpordiamet.ee/struktuurifondide-toetatud-projektid>

## Teostatud Testid

---

Järgmistes testides leiti ligipääsetavusnõuetele mittevastavust (9):

- QW-ACT-R12, Link has accessible name (<https://act-rules.github.io/rules/c487ae>)
- QW-ACT-R35, Heading has accessible name (<https://act-rules.github.io/rules/ffd0e9>)
- QW-ACT-R30, Visible label is part of accessible name (<https://act-rules.github.io/rules/2ee8b8>)
- QW-ACT-R19, iframe element has accessible name (<https://act-rules.github.io/rules/cae760>)
- QW-ACT-R18, `id` attribute value is unique (<https://act-rules.github.io/rules/3ea0c8>)
- QW-ACT-R17, Image has accessible name (<https://act-rules.github.io/rules/23a2a8>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)
- QW-ACT-R16, Form control has accessible name (<https://act-rules.github.io/rules/e086e5>)
- QW-ACT-R43, Scrollable element is keyboard accessible (<https://act-rules.github.io/rules/0ssw9k>)

Veebi ligipääsetavuse suunistele vastavust või mittevastavust ei saanud järgmiste automaatsetestidega kindlaks teha (10):

- QW-ACT-R63, Document has a landmark with non-repeated content (<https://act-rules.github.io/rules/b40fd1>)
- QW-ACT-R64, Document has heading for non-repeated content (<https://act-rules.github.io/rules/047fe0>)
- QW-ACT-R73, Block of repeated content is collapsible (<https://act-rules.github.io/rules/3e12e1>)
- QW-ACT-R74, Document has an instrument to move focus to non-repeated content (<https://act-rules.github.io/rules/ye5d6e>)

- QW-ACT-R62, Element in sequential focus order has visible focus (<https://act-rules.github.io/rules/oj04fd>)
- QW-ACT-R41, Error message describes invalid form field value (<https://act-rules.github.io/rules/36b590>)
- QW-ACT-R40, Zoomed text node is not clipped with CSS overflow (<https://act-rules.github.io/rules/59br37>)
- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)
- QW-ACT-R10, `iframe` elements with identical accessible names have equivalent purpose (<https://act-rules.github.io/rules/4b1c6c>)

Järgmistes testides ei leitud nõuetele mittevastavust (26):

- QW-ACT-R1, HTML Page has a title (<https://act-rules.github.io/rules/2779a5>)
- QW-ACT-R2, HTML has lang attribute (<https://act-rules.github.io/rules/b5c3f8>)
- QW-ACT-R5, Validity of HTML Lang attribute (<https://act-rules.github.io/rules/bf051a>)
- QW-ACT-R11, Button has accessible name (<https://act-rules.github.io/rules/97a4e1>)
- QW-ACT-R13, Element with `aria-hidden` has no focusable content (<https://act-rules.github.io/rules/6cfa84>)
- QW-ACT-R14, meta viewport does not prevent zoom (<https://act-rules.github.io/rules/b4f0c3>)
- QW-ACT-R18, `id` attribute value is unique (<https://act-rules.github.io/rules/3ea0c8>)
- QW-ACT-R38, ARIA required owned elements (<https://act-rules.github.io/rules/bc4a75>)
- QW-ACT-R28, Element with role attribute has required states and properties (<https://act-rules.github.io/rules/4e8ab6>)

- QW-ACT-R16, Form control has accessible name (<https://act-rules.github.io/rules/e086e5>)
- QW-ACT-R20, role attribute has valid value (<https://act-rules.github.io/rules/674b10>)
- QW-ACT-R33, ARIA required context role (<https://act-rules.github.io/rules/ff89c9>)
- QW-ACT-R17, Image has accessible name (<https://act-rules.github.io/rules/23a2a8>)
- QW-ACT-R35, Heading has accessible name (<https://act-rules.github.io/rules/ffd0e9>)
- QW-ACT-R68, Line height in style attributes is not !important (<https://act-rules.github.io/rules/78fd32>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)
- QW-ACT-R65, Element with presentational children has no focusable content (<https://act-rules.github.io/rules/307n5z>)
- QW-ACT-R75, Bypass Blocks of Repeated Content (<https://act-rules.github.io/rules/cf77f2>)
- QW-ACT-R12, Link has accessible name (<https://act-rules.github.io/rules/c487ae>)
- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)
- QW-ACT-R39, All table header cells have assigned data cells (<https://act-rules.github.io/rules/d0f69e>)
- QW-ACT-R19, iframe element has accessible name (<https://act-rules.github.io/rules/cae760>)
- QW-ACT-R22, Element within body has valid lang attribute (<https://act-rules.github.io/rules/de46e4>)
- QW-ACT-R43, Scrollable element is keyboard accessible (<https://act-rules.github.io/rules/0ssw9k>)
- QW-ACT-R30, Visible label is part of accessible name (<https://act-rules.github.io/rules/2ee8b8>)
- QW-ACT-R67, Letter spacing in style attributes is not !important (<https://act-rules.github.io/rules/24afc2>)

Testid, mis ei olnud kohaldatavad lehekülgedelt leitava sisu suhtes (41):

- QW-ACT-R4, Meta-refresh no delay (<https://act-rules.github.io/rules/bc659a>)
- QW-ACT-R43, Scrollable element is keyboard accessible (<https://act-rules.github.io/rules/0ssw9k>)
- QW-ACT-R3, HTML lang and xml:lang match (<https://act-rules.github.io/rules/5b7ae0>)
- QW-ACT-R6, Image button has accessible name (<https://act-rules.github.io/rules/59796f>)
- QW-ACT-R21, svg element with explicit role has accessible name (<https://act-rules.github.io/rules/7d6734>)
- QW-ACT-R22, Element within body has valid lang attribute (<https://act-rules.github.io/rules/de46e4>)
- QW-ACT-R10, `iframe` elements with identical accessible names have equivalent purpose (<https://act-rules.github.io/rules/4b1c6c>)
- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)
- QW-ACT-R19, iframe element has accessible name (<https://act-rules.github.io/rules/cae760>)
- QW-ACT-R58, audio element content has transcript (<https://act-rules.github.io/rules/2eb176>)
- QW-ACT-R59, audio element content is media alternative for text (<https://act-rules.github.io/rules/afb423>)
- QW-ACT-R30, Visible label is part of accessible name (<https://act-rules.github.io/rules/2ee8b8>)
- QW-ACT-R51, video element visual-only content is media alternative for text (<https://act-rules.github.io/rules/fd26cf>)
- QW-ACT-R52, video element visual-only content has description track (<https://act-rules.github.io/rules/ac7dc6>)
- QW-ACT-R53, video element visual-only content has transcript (<https://act-rules.github.io/rules/ee13b5>)
- QW-ACT-R54, video element visual-only content has audio track alternative (<https://act-rules.github.io/rules/d7ba54>)

- QW-ACT-R55, video element visual content has audio description (<https://act-rules.github.io/rules/1ea59c>)
- QW-ACT-R56, video element content is media alternative for text (<https://act-rules.github.io/rules/ab4d13>)
- QW-ACT-R57, video element visual content has description track (<https://act-rules.github.io/rules/f196ce>)
- QW-ACT-R60, video element auditory content has captions (<https://act-rules.github.io/rules/f51b46>)
- QW-ACT-R61, Audio and visuals of video element have transcript (<https://act-rules.github.io/rules/1a02b0>)
- QW-ACT-R49, Audio or video that plays automatically has no audio that lasts more than 3 seconds (<https://act-rules.github.io/rules/aaa1bf>)
- QW-ACT-R50, audio or video that plays automatically has a control mechanism (<https://act-rules.github.io/rules/4c31df>)
- QW-ACT-R24, autocomplete attribute has valid value (<https://act-rules.github.io/rules/73f2c2>)
- QW-ACT-R36, Headers attribute specified on a cell refers to cells in the same table element (<https://act-rules.github.io/rules/a25f45>)
- QW-ACT-R39, All table header cells have assigned data cells (<https://act-rules.github.io/rules/d0f69e>)
- QW-ACT-R42, Object element has non-empty accessible name (<https://act-rules.github.io/rules/8fc3b6>)
- QW-ACT-R67, Letter spacing in style attributes is not !important (<https://act-rules.github.io/rules/24afc2>)
- QW-ACT-R69, Word spacing in style attributes is not !important (<https://act-rules.github.io/rules/9e45ec>)
- QW-ACT-R66, MenuItem has non-empty accessible name (<https://act-rules.github.io/rules/m6b1q3>)
- QW-ACT-R7, Orientation of the page is not restricted using CSS transform property (<https://act-rules.github.io/rules/b33eff>)
- QW-ACT-R70, iframe with negative tabindex has no interactive elements (<https://act-rules.github.io/rules/akn7bn>)
- QW-ACT-R15, audio or video has no audio that plays automatically (<https://act-rules.github.io/rules/80f0bf>)

- QW-ACT-R23, video element visual content has accessible alternative (<https://act-rules.github.io/rules/c5a4ea>)
- QW-ACT-R26, video element auditory content has accessible alternative (<https://act-rules.github.io/rules/eac66b>)
- QW-ACT-R29, Audio element content has text alternative (<https://act-rules.github.io/rules/e7aa44>)
- QW-ACT-R31, Video element visual-only content has accessible alternative (<https://act-rules.github.io/rules/c3232f>)
- QW-ACT-R32, video element visual content has strict accessible alternative (<https://act-rules.github.io/rules/1ec09b>)
- QW-ACT-R38, ARIA required owned elements (<https://act-rules.github.io/rules/bc4a75>)
- QW-ACT-R33, ARIA required context role (<https://act-rules.github.io/rules/ff89c9>)
- QW-ACT-R68, Line height in style attributes is not !important (<https://act-rules.github.io/rules/78fd32>)

# Leitud mittevastavused

## QW-ACT-R12 – Link has accessible name (5752)

---

This rule checks that each link has an accessible name.

- <https://act-rules.github.io/rules/c487ae>
- WCAG 2.1, Level A: 2.4.4 (<https://www.w3.org/TR/WCAG21/#link-purpose-in-context>)
- WCAG 2.1, Level AAA: 2.4.9 (<https://www.w3.org/TR/WCAG21/#link-purpose-link-only>)
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://transpordiamet.ee/EELU2021>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/NtM>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/aeronavigatsiooniteenus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/andmekaitsetingimused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/ariline-lennutransport>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/avatud-kategooria>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/autokoolide-statistika>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/bussiliinid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/digiajakiri>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/dokumendiregister>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/droonide-kaadirakendus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/droonid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/eesti-teedevork>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/elektrooniline-mereinfosustem>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/elektritoukeratas>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/elusloodus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/ennetuskampaniad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/erikategooria>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/fpv-lennud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/hooldusorganisatsioonid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/ettekirjutused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/instrumentaallennuvaljad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/iseteenindused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/isejuhtivad-soidukid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/its-arengukava-2021-2025>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/jaamurre-ja-talvine-navigatsioon>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/jaateed>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/jalgrattajuhiluba>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/juhendid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/jarelevalve>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/juhiabisusteemid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/juurdepaasetavus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/juhiluba>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/kasutatud-soiduki-ostjale>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/katseprojektid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/keskkonnamoju>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/kiiruskaamerad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/kergliiklejate-arv-riigiteede-aares>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/kkk-kuidas-toimub-keskmise-kiiruse-mootmise-katseprojekt>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)
```

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/kohtumised-lobistidega>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)
```

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/kontrollpiloodid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/koolitajate-jarelevalve>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/kupsised>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/korgussustem>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/kutseline-autojuht>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/laevad-eeesti-lipu-alla>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/laevade-jarelevalve>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/kontakt>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > section:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(2) > li:nth-child(1) > a:nth-child(2)

```
<a href="https://goo.gl/maps/U23aLKvxjiHm83Z69">&nbsp;</a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/laevaliikluse-korraldamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/laevaonnetused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/laevaliinid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/laevapere-liikmed>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/laevaregistrid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennuettevotjad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennuinformaator>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennujuht>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennujuhtumist-teavitamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennujulgustusinstruktorid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennukolblikkus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/lennukolblikkuse-korraldajad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennuliinid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennundus-ja-lennuohutus/droonidmehitamata-ohusoidukid/kaitajaks-registreerimine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennundus-ja-lennuohutus/droonidmehitamata-ohusoidukid/kaugpiloodi-padevused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennundus-ja-lennuohutus/lennuohutus/lennundusalased-uldkorralduslikud-ettekirjutused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennundus-ja-lennuohutus/lennuohutus/lennureisija-tervisealane-teave>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennundusalased-koolitajad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennunduse-tervisetoend>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennundusjulgestus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennundusteated>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/lennundustehniline-tootaja>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennuohutus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

[Veebilehekülg: https://transpordiamet.ee/lennutegevuse-juhtum-teavitamine](https://transpordiamet.ee/lennutegevuse-juhtum-teavitamine)

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennuohutusosalased-kokkuvotted>

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennureisil-keelatud-esemed>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennutood>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lennuvaljad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/levinud-kusimused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

[Veebilehekülg: https://transpordiamet.ee/levinud-kusimused-lipuriigi-kohta](https://transpordiamet.ee/levinud-kusimused-lipuriigi-kohta)

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liiklusaasta-ulevaade-2022>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liikluskorraldus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liiklusjuhtimiskeskus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liiklusreeglid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liiklusohutusprogramm>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liiklusregister>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liiklussagedus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liikuvus-ja-transpordikorraldus/lennutootajad/piloot>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liikuvus-ja-transpordikorraldus/meremehed/meremeeste-diplomeerimine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liikuvuse-kavandamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/listoflights>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/liikuvuskava>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lootsiraamat>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/lootsitasoit>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/maanteeinfo-telefon-1247>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/maa-vee-ohusoiduk/laevad/veeteetasud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/maanteel-tekkinud-kahju>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/merekeele-noukoda>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/merekeskkonna-kaitse>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/meremeeste-diplomite-tunnustamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/meremoodistamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/merendus-ja-veeteed/laevad-eesti-lipu-alla/merenduse-infosusteemid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/merendus-ja-veeteed/laevad-eesti-lipu-alla/laevanduse-riigiabi>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(2) > li:nth-child(2) > a:nth-child(3)

```
<a href="https://www.riigiteataja.ee/akt/122122021041?leiaKehtiv#para52b1">&nbsp;</a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/merendus-ja-veeteed/navigatsiooniteave/reisilaevade-soidupiirkonnad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty

(").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/mereturvalisus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/mittearilised-lennud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/mootorsoidukijuhi-juhendaja-ja-opetaja>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)
```

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/mootorsoidukijuhi-koolitus>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)
```

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/mootorsoidukijuhi-opetaja>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/mura-ja-valisohk>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/nefab>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/muud-soidukitega-seotud-toimingud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/ohtlik-last>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/ohuruumi-takistused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/navigatsioonikaardid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: [https://transpordiamet.ee/otsing?keyword=Ehitusload&sort\\_by=created](https://transpordiamet.ee/otsing?keyword=Ehitusload&sort_by=created)

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/ohusoidukite-register>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/oigusaktid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: [https://transpordiamet.ee/otsing?keyword=Keskonnamõju hindamise teated&sort\\_by=created](https://transpordiamet.ee/otsing?keyword=Keskonnamõju_hindamise_teated&sort_by=created)

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: [https://transpordiamet.ee/otsing?keyword=Projekteerimistingimused&sort\\_by=created](https://transpordiamet.ee/otsing?keyword=Projekteerimistingimused&sort_by=created)

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/poordu-transpordiameti-poole>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/puistlastilaevade-terminalide-ohutusnouded>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: [https://transpordiamet.ee/otsing?type=Uudis&sort\\_by=created](https://transpordiamet.ee/otsing?type=Uudis&sort_by=created)

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/rahvusvaheline-juhiluba>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/rahvusvahelised-merenduskonventsioonid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/raportid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/registreerimine-ja-ost-muuk>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/riigiteede-korrashoiu-kutsevoistlus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/riigiteede-seisukord>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/riigiteede-juhendid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/rongireisijate-oigused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/ru>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > a:nth-child(2)

```
<a href="https://transpordiamet.ee/tookuulutused"> </a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/sadamaregister>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/sadamate-jarelevalve>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/ringkirjad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/sadamate-kulastusandmed>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/sadamate-ohutus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/salongipersonal>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/sillad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/sadamate-turvalisus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/soiduki-ost-muuk>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/smart-e263e77>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/soiduki-lammutamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/soidukite-jarelevalve>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/soidukite-liiklusregistri-kustutamine>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/soidukite-tehnoulevaatus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/statistika>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/soidumeerikud>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/struktuur>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/struktuurifondide-toetatud-projektid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(2) > a:nth-child(1)

```
<a class="a2a_button_facebook" target="_blank" rel="nofollow noopener" href="/#facebook"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(3) > a:nth-child(1)

```
<a class="a2a_button_twitter" target="_blank" rel="nofollow noopener" href="/#twitter"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > header:nth-child(1) > div:nth-child(1) > aside:nth-child(3) > ul:nth-child(1) > li:nth-child(4) > a:nth-child(1)

```
<a class="a2a_button_email" target="_blank" rel="nofollow noopener" href="/#email"></a>
```

**Tulemus:** The test target doesn't have an accessible name, or it's empty (").

## QW-ACT-R35 – Heading has accessible name (118)

---

This rule applies to any HTML element with the semantic role of heading that is included in the accessibility tree.

- <https://act-rules.github.io/rules/ffd0e9>
- WCAG 2.1, Level A: 1.3.1 (<https://www.w3.org/TR/WCAG21/#info-and-relationships>)

Veebilehekülg: <https://transpordiamet.ee/>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(1)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/aeronavigatsiooniteenus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > table:nth-child(1) > tbody:nth-child(1) > tr:nth-child(1) > td:nth-child(1) > h2:nth-child(3)

```
<h2></h2>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/elektrooniline-mereinfosustem>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > h4:nth-child(1)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/en>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(4)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/laevad-eesti-lipu-alla>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(3)

```
<h4></h4>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/lennundusalased-koolitajad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > article:nth-child(2) > h3:nth-child(2)

```
<h3></h3>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/lennunduse-tervisetoend>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(4)

```
<h3></h3>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/liikuvus-ja-transpordikorraldus/lennutootajad/piloot>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(14)

```
<h3></h3>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/merendus-ja-veeteed/laevad-eesi->

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(1)

```
<h3></h3>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/registreerimine-ja-ost-muuk>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(2)

```
<h3 class="d-block card-title mb-2 font-weight-regular"></h3>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

**Veebilehekülg:** <https://transpordiamet.ee/riigiteede-juhendid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > h4:nth-child(9)

```
<h4>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;</h4>
```

Tulemus: The test target accessible name doesn't exist or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/rongireisijate-oigused>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(22)

```
<h3></h3>
```

Tulemus: The test target accessible name doesn't exist or it's empty (").

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(2)

```
<h3></h3>
```

Tulemus: The test target accessible name doesn't exist or it's empty (").

Veebilehekülg: <https://transpordiamet.ee/soidukite-jarelevalve>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(6)

```
<h3></h3>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

## QW-ACT-R30 – Visible label is part of accessible name (848)

---

This rule checks that interactive elements labeled through their content have their visible label as part of their accessible name.

- <https://act-rules.github.io/rules/2ee8b8>
- WCAG 2.1, Level A: 2.5.3 (<https://www.w3.org/TR/WCAG21/#label-in-name>)

**Veebilehekülg:** <https://transpordiamet.ee/andmekaitsetingimused>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(26) > li:nth-child(1) > a:nth-child(1)

```
<a aria-label="Link konkurss@transpordiamet.ee" href="mailto:konkurss@transpordiamet.ee"
    rel="noopener noreferrer" tabindex="-1" target="_blank"
    title="mailto:konkurss@transpordiamet.ee">konkurss@transpordiamet.ee avaneb uues
    vahekaardis
```

**Tulemus:** The complete visible text content of the test target neither matches or is contained within its accessible name.

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-child(26) > li:nth-child(5) > a:nth-child(1)

```
<a aria-label="Link konkurss@transpordiamet.ee" href="mailto:konkurss@transpordiamet.ee"
      rel="noopener noreferrer" tabindex="-1" target="_blank"
      title="mailto:konkurss@transpordiamet.ee">konkurss@transpordiamet.ee avaneb uues
      vahekaardis
```

**Tulemus:** The complete visible text content of the test target neither matches or is contained within its accessible name.

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-
child(26) > li:nth-child(7) > a:nth-child(1)
```

```
<a aria-label="Link www.aki.ee" href="http://www.aki.ee/" rel="noopener noreferrer"
      tabindex="-1" target="_blank" title="http://www.aki.ee/">www.aki.ee avaneb uues
      vahekaardis
</a>
```

**Tulemus:** The complete visible text content of the test target neither matches or is contained within its accessible name.

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > ul:nth-
child(26) > li:nth-child(7) > a:nth-child(2)
```

```
<a aria-label="Link info@aki.ee" href="mailto:info@aki.ee" rel="noopener noreferrer"
      tabindex="-1" target="_blank" title="mailto:info@aki.ee">info@aki.ee avaneb uues
      vahekaardis
</a>
```

**Tulemus:** The complete visible text content of the test target neither

matches or is contained within its accessible name.

Veebilehekülg: <https://transpordiamet.ee/rahvusvaheline-juhiluba>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > p:nth-child(2) > a:nth-child(2)

```
<a aria-label="Link Reisi targalt&nbsp;" href="http://reisitargalt.vm.ee/"
rel="noreferrer noopener" style="background-color: rgb(255, 255, 255); font-size: 1rem;"
target="_blank" title="http://reisitargalt.vm.ee/">Reisi targalt&nbsp; avaneb uues
vahekaardis
```

**Tulemus:** The complete visible text content of the test target neither matches or is contained within its accessible name.

## QW-ACT-R19 – iframe element has accessible name (76)

---

This rule checks that each iframe element has an accessible name.

- <https://act-rules.github.io/rules/cae760>
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://transpordiamet.ee/avatud-kategooria>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > iframe:nth-child(1)

```
<iframe scrolling="no" src="https://v.postimees.ee/reklaam/dfp/Transpordiamet/23/04/
artikkel-quiz-droon/"
style="width:100%;height:100%;border:0;left:0;position:absolute;top:0"></iframe>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/autokoolide-statistika>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > p:nth-child(1)
> iframe:nth-child(1)
```

```
<iframe allowfullscreen="" frameborder="1" height="1300px" marginheight="0px"
marginwidth="0px" name="myiFrame" scrolling="no" src="https://public.tableau.com/views/EE-
sidueksamitestat_16387780799750/Teooriaeksamidkoondina?:language=en-
US&;:display_count=n&;:origin=viz_share_link" style="border:0px #ffffff none;"
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/bussiliinid>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(9) > div:nth-child(2) > div:nth-child(1) > p:nth-child(2)
> iframe:nth-child(1)
```

```
<iframe allowfullscreen="" frameborder="0" height="800px" marginheight="0px"
marginwidth="0px" name="myiFrame" scrolling="no" src="https://public.tableau.com/views/
ATLmaakonnaliinidemahudjamuutuslbiaastate/
Toetused?:showVizHome=no&;:embed=true:language=en-
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(10) > div:nth-child(2) > div:nth-child(1) > p:nth-child(2) > iframe:nth-child(1)

```
<iframe allowfullscreen="" frameborder="0" height="800px" marginheight="0px"
marginwidth="0px" name="myiFrame" scrolling="no" src="https://public.tableau.com/views/
ATLmaakonnaliinidemahudjumuutuslbiaastate/
Muutus?:showVizHome=no&;:embed=true:display_count=n&;:origin=viz_share_link"
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(11) > div:nth-child(2) > div:nth-child(1) > p:nth-child(2) > iframe:nth-child(1)

```
<iframe allowfullscreen="" frameborder="0" height="800px" marginheight="0px"
marginwidth="0px" name="myiFrame" scrolling="no" src="https://public.tableau.com/views/
Peatustekasutus/Reisijatearvkaardil?:showVizHome=no&;:embed=true:language=en-
US&;:display_count=n&;:origin=viz_share_link" style="border:1px #ffffff solid;"
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/droonid>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(6) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > iframe:nth-child(1)

```
<iframe scrolling="no" src="https://v.postimees.ee/reklaam/dfp/Transpordiamet/23/04/
artikkel-quiz-droon/"
style="width:100%;height:100%;border:0;left:0;position:absolute;top:0"></iframe>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/kergliiklejate-arv-riigiteede-aares>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > p:nth-child(1) > iframe:nth-child(1)

```
<iframe allowfullscreen="" frameborder="0" height="720" scrolling="no" src="https://arcg.is/1fizGb1" width="1080"></iframe>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/laevaliinid>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > p:nth-child(2) > iframe:nth-child(1)

```
<iframe allowfullscreen="" frameborder="0" height="800px" marginheight="0px" marginwidth="0px" name="myiFrame" scrolling="no" src="https://public.tableau.com/views/SaaremaajaHiiumaapraamiliinidkodulehele/SaaremaajaHiiumaa?:showVizHome=no&embed=true:language=en-
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/lennuliinid>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > p:nth-child(1) > iframe:nth-child(1)

```
<iframe allowfullscreen="" frameborder="0" height="800px" marginheight="0px"
marginwidth="0px" name="myiFrame" scrolling="no" src="https://public.tableau.com/views/
Lennundus_kodulehele_16518542427600/
Tituvusejaotus?:showVizHome=no&embed=true:language=en-
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/liiklussagedus>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > p:nth-child(1) > iframe:nth-child(1)

```
<iframe frameborder="0" height="1000" scrolling="no" src="https://
maanteeamet.maps.arcgis.com/apps/View/index.html?appid=293d200a16454c1c84f2cfe35720149f "
width="950"></iframe>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty ('').

**Veebilehekülg:** <https://transpordiamet.ee/soiduki-lammutamine>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > p:nth-child(1) > iframe:nth-child(1)

```
<iframe height="480" src="https://www.google.com/maps/d/u/1/embed?
mid=1gzs02TIhKEsii_LtTZ247KucVje0JM&ehbc=2E312F" width="640"></iframe>
```

Tulemus: The test target accessible name doesn't exist or it's empty ('').

## QW-ACT-R18 – `id` attribute value is unique (1971)

---

This rule checks that all id attribute values on a single page are unique.

- <https://act-rules.github.io/rules/3ea0c8>
- WCAG 2.1, Level A: 4.1.1 (<https://www.w3.org/TR/WCAG21/#parsing>)

Veebilehekülg: <https://transpordiamet.ee/bussiliinid>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(9) > div:nth-child(2) > div:nth-child(1) > p:nth-child(2)
> iframe:nth-child(1)
```

```
<iframe allowfullscreen="" frameborder="0" height="800px" marginheight="0px"
marginwidth="0px" name="myiFrame" scrolling="no" src="https://public.tableau.com/views/
ATLmaakonnaliinidemahudjamuutuslbiaastate/
Toetused?:showVizHome=no&:embed=true:language=en-
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(10) > div:nth-child(2) > div:nth-child(1) > p:nth-
child(2) > iframe:nth-child(1)
```

```
<iframe allowfullscreen="" frameborder="0" height="800px" marginheight="0px"
marginwidth="0px" name="myiFrame" scrolling="no" src="https://public.tableau.com/views/
ATLmaakonnaliinidemahudjamuutuslbiaastate/
Muutus?:showVizHome=no&:embed=true:display_count=n&:origin=viz_share_link"
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(11) > div:nth-child(2) > div:nth-child(1) > p:nth-
child(2) > iframe:nth-child(1)
```

```
<iframe allowfullscreen="" frameborder="0" height="800px" marginheight="0px"
marginwidth="0px" name="myiFrame" scrolling="no" src="https://public.tableau.com/views/
Peatustekasutus/Reisijatearvkaardil?:showVizHome=no&;embed=true:language=en-
US&;display_count=n&;origin=viz_share_link" style="border:1px #ffffff solid;"
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://transpordiamet.ee/elektrooniline-mereinfosustem>

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-
child(1)
```

```
<section id="section-content"> Elektroonilise mereinfosüsteemi põhimäärus
EMDE&nbsp;akronüüm tuleb nimest "Eesti Merendusdokumentide Edastus". Kuid nimi
"Elektrooniline mereinfosüsteem" on rohkem levinud. See on süsteem millele
rahvusvaheliselt viidatakse ka kui "National Maritime Single Window". EMDE keskkonnad
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-
child(1) > article:nth-child(1) > section:nth-child(12)
```

```
<section id="section-content">Sisestusvormid
&nbsp;Liideste spetsifikatsioon EMDE_v6.wSDL avaneb uues vahekaardis
&nbsp;(10.15 KB)&nbsp;- x-tee teenuste kirjeldus (X-tee versioon 6) X-tee xml-ide jaoks:
EPN.xsd (636 BAITI) - peafail mis vaid kaasab ülejäänud EPNBasic.xsd avaneb uues
```

**Tulemus:** Several elements have the same `id` attribute.

---

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-
child(1) > article:nth-child(1)
```

```
<article about="/et/meremeestele-ja-vaikelaevnikele/meremeestele/elektrooniline-
mereinfosustem" id="node-article-1178" typeof="sioc:Item foaf:Document"> Elektroonilise
mereinfosüsteemi põhimäärus EMDE&nbsp;akronüüm tuleb nimest "Eesti Merendusdokumentide
Edastus". Kuid nimi "Elektrooniline mereinfosüsteem" on rohkem levinud. See on süsteem
```

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-
child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1)
```

```
<article about="/et/meremeestele-ja-vaikelaevnikele/meremeestele/elektrooniline-
mereinfosustem" id="node-article-1178" typeof="sioc:Item foaf:Document">Sisestusvormid
&nbsp;&nbsp;&nbsp;Liideste spetsifikatsioon EMDE_v6.wSDL avaneb uues vahekaardis
&nbsp;&nbsp;&nbsp;(10.15 KB)&nbsp;&nbsp;&nbsp;- x-tee teenuste kirjeldus (X-tee versioon 6) X-tee xml-ide jaoks:
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://transpordiamet.ee/elusloodus>

---

## ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(1)
```

```
<h3 id="page-title">Ulukiõnnetuste koondumiskohtade tehniline analüüs</h3>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(1)

```
<h3 id="page-title">Käsiraamat "Loomad ja liiklus Eestis"</h3>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://transpordiamet.ee/ennetuskampaniad>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(5) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2)

```
<div id="carousel-card-controls" class="vp-slide-controls d-flex justify-content-end align-items-center mt-1"> Eelmine Järgmine </div>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(6) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2)

```
<div id="carousel-card-controls" class="vp-slide-controls d-flex justify-content-end align-items-center mt-1"> Eelmine Järgmine </div>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://transpordiamet.ee/kiiruskaamerad>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(1)

```
<h3 id="page-title">Kiiruskaamerate asukohad</h3>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > h3:nth-child(1)

```
<h3 id="page-title">Mobiilised kiiruskaamerad</h3>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://transpordiamet.ee/lennujuhtumist-teavitamine>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > form:nth-child(2) > div:nth-child(8)

```
<div data-drupal-selector="edit-actions" class="form-actions webform-actions js-form-wrapper form-wrapper" id="edit-actions"> </div>
```

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > form:nth-child(2) > div:nth-child(3) > div:nth-child(3)

```
<div data-drupal-selector="edit-actions" class="form-actions webform-actions js-form-wrapper form-wrapper" id="edit-actions"> </div>
```

Tulemus: Several elements have the same `id` attribute.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > form:nth-child(2) > div:nth-child(8) > input:nth-child(1)

```
<input class="webform-button--submit button button--primary js-form-submit form-submit btn btn-primary" data-drupal-selector="edit-actions-submit" type="submit" id="edit-actions-submit" name="op" value="Saada" data-once="drupal-ajax">
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > form:nth-child(2) > div:nth-child(3) > div:nth-child(3) > input:nth-child(1)

```
<input class="webform-button--submit button button--primary js-form-submit form-submit btn btn-primary" data-drupal-selector="edit-actions-submit" data-disable-refocus="true" type="submit" id="edit-actions-submit" name="op" value="Saada">
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://transpordiamet.ee/merendus-ja-veeteed/laevad-eesi-lipu-alla/laevanduse-riigiabi>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > p:nth-child(1) > span:nth-child(1)

```
<span id="cke_bm_193S" style="display: none;">&nbsp;</span>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(8) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > p:nth-child(1) > span:nth-child(1)

```
<span id="cke_bm_193S" style="display: none;">&nbsp;</span>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: [https://transpordiamet.ee/otsing?keyword=Ehitusload&sort\\_by=created](https://transpordiamet.ee/otsing?keyword=Ehitusload&sort_by=created)

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(1)

```
<path d="M9.76470588,3.72058824 L9.76470588,5.22058824 C7.255059,5.22058824 5.22058824,7.255059 5.22058824,9.76470588 L3.72058824,9.76470588 C3.72058824,6.42663188 6.42663188,3.72058824 9.76470588,3.72058824 Z" id="Oval-3"></path>
```

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(3)

```
<path d="M9.47058824,18.9411765 C4.24012678,18.9411765 0,14.7010497 0,9.47058824 C0,4.24012678 4.24012678,0 9.47058824,0 C14.7010497,0 18.9411765,4.24012678 18.9411765,9.47058824 C18.9411765,14.7010497 14.7010497,18.9411765 9.47058824,18.9411765 Z M9.47058824,16.9411765 C13.5964802,16.9411765 16.9411765,13.5964802
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://transpordiamet.ee/otsing?keyword=Keskkonnamõju>

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(1)

```
<path d="M9.76470588,3.72058824 L9.76470588,5.22058824 C7.255059,5.22058824 5.22058824,7.255059 5.22058824,9.76470588 L3.72058824,9.76470588 C3.72058824,6.42663188 6.42663188,3.72058824 9.76470588,3.72058824 Z" id="0val-3"></path>
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(3)

```
<path d="M9.47058824,18.9411765 C4.24012678,18.9411765 0,14.7010497 0,9.47058824 C0,4.24012678 4.24012678,0 9.47058824,0 C14.7010497,0 18.9411765,4.24012678 18.9411765,9.47058824 C18.9411765,14.7010497 14.7010497,18.9411765 9.47058824,18.9411765 Z M9.47058824,16.9411765 C13.5964802,16.9411765 16.9411765,13.5964802
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: [https://transpordiamet.ee/otsing?keyword=Projekteerimistingimused&sort\\_by=created](https://transpordiamet.ee/otsing?keyword=Projekteerimistingimused&sort_by=created)

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(1)

```
<path d="M9.76470588,3.72058824 L9.76470588,5.22058824 C7.255059,5.22058824 5.22058824,7.255059 5.22058824,9.76470588 L3.72058824,9.76470588 C3.72058824,6.42663188 6.42663188,3.72058824 9.76470588,3.72058824 Z" id="0val-3"></path>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(3)

```
<path d="M9.47058824,18.9411765 C4.24012678,18.9411765 0,14.7010497 0,9.47058824
C0,4.24012678 4.24012678,0 9.47058824,0 C14.7010497,0 18.9411765,4.24012678
18.9411765,9.47058824 C18.9411765,14.7010497 14.7010497,18.9411765 9.47058824,18.9411765
Z M9.47058824,16.9411765 C13.5964802,16.9411765 16.9411765,13.5964802
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: [https://transpordiamet.ee/otsing?type=Uudis&sort\\_by=created](https://transpordiamet.ee/otsing?type=Uudis&sort_by=created)

---

## ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(1)

```
<path d="M9.76470588,3.72058824 L9.76470588,5.22058824 C7.255059,5.22058824
5.22058824,7.255059 5.22058824,9.76470588 L3.72058824,9.76470588 C3.72058824,6.42663188
6.42663188,3.72058824 9.76470588,3.72058824 Z" id="0val-3"></path>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > form:nth-child(1) > div:nth-child(1) > svg:nth-child(1) > g:nth-child(4) > g:nth-child(1) > g:nth-child(1) > path:nth-child(3)

```
<path d="M9.47058824,18.9411765 C4.24012678,18.9411765 0,14.7010497 0,9.47058824
C0,4.24012678 4.24012678,0 9.47058824,0 C14.7010497,0 18.9411765,4.24012678
18.9411765,9.47058824 C18.9411765,14.7010497 14.7010497,18.9411765 9.47058824,18.9411765
Z M9.47058824,16.9411765 C13.5964802,16.9411765 16.9411765,13.5964802
```

**Tulemus:** Several elements have the same `id` attribute.

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > a:nth-child(2)

```
<a id="main-content" tabindex="-1"></a>
```

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > p:nth-child(4) > a:nth-child(1)

```
<a id="main-content" tabindex="-1"></a>
```

**Tulemus:** Several elements have the same `id` attribute.

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > article:nth-child(1)

```
<article about="/et/ametist/juhendid/ehitus-ja-remont" id="node-article-1991" typeof="sioc:Item foaf:Document"> Geotehniliste uuringute juhised (2020) | 1.93 MB | pdf Muldkeha ja dreniiki projekteerimise, ehitamise ja remondi juhised (2020) * | 1.85 MB | pdf Muldkeha remondi projekteerimise juhised (2006) | 1.15 MB | pdf Asfaldi geotekstiilide
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(4) > div:nth-child(3) > div:nth-child(2) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > article:nth-child(1)

```
<article about="/et/ametist/juhendid/ehitus-ja-remont" id="node-article-1991"
typeof="sioc:Item foaf:Document">Määrus nr 80:&nbsp;0manikujärelevalve tegemise kord
avaneb uues vahekaardis Omanikujärelevalve kvaliteedi tagamise plaani koostamise ja
täitmise juhend (2016) | 697.78 KB | pdf </article>
```

**Tulemus:** Several elements have the same `id` attribute.

---

## ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(5)

```
<section id="section-content"></section>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(6) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1)

```
<section id="section-content"> Bussipeatuste, platvormide ja -paviljonide rajamise
põhimõtted (2014) | 1.17 MB | pdf Lihtsustatud ootealaga bussipeatuse kavandamine | 60.32
KB | pdf Ühistranspordi peatuste planeerimise ja rajamise põhimõtted | 162.21 KB | pdf
Tüüpjoonised Bussipeatus – avatud tasku | 94.94 KB | pdf Bussipeatus – suletud tasku |
```

**Tulemus:** Several elements have the same `id` attribute.

---

## ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(5) > article:nth-child(1)

```
<article about="/et/soiduk/ulevaatajad/juhendmaterjalid/digitaalne-soidumeerik" id="node-article-3950" typeof="sioc:Item foaf:Document"></article>
```

## ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(6) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1)

```
<article about="/et/soiduk/ulevaatajad/juhendmaterjalid/digitaalne-soidumeerik" id="node-article-3950" typeof="sioc:Item foaf:Document"> Bussipeatuste, platvormide ja -paviljonide rajamise põhimõtted (2014) | 1.17 MB | pdf Lihtsustatud ootealaga bussipeatuse kavandamine | 60.32 KB | pdf Ühistranspordi peatuste planeerimise ja
```

**Tulemus:** Several elements have the same `id` attribute.

Veebilehekülg: <https://transpordiamet.ee/soidukite-jarelevalve>

---

## ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > h2:nth-child(1)

```
<h2 id="page-title">Tehnoulevaatuspunktide järelevalve</h2>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > h2:nth-child(1)
```

```
<h2 id="page-title">Sõidumeeriku paigaldamise, remondi ja kontrolli nõuete täitmine</h2>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > h2:nth-child(1)
```

```
<h2 id="page-title">Kiiruspiirik, selle paigaldamine ning kontrolli nõuded</h2>
```

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > h2:nth-child(1)
```

```
<h2 id="page-title">Turujärelvalve</h2>
```

**Tulemus:** Several elements have the same `id` attribute.

**Veebilehekülg:** <https://transpordiamet.ee/soidumeerikud>

---

### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-
child(1) > section:nth-child(1)
```

```
<section id="section-content">Firma nimi Address Telefon EAK kehtib kuni Analoog Digi  
Arukas Auto Jõhvi AS avaneb uues vahekaardis Pargi 25A, Jõhvie-post 332 5557 23.09.2025  
Jah Jah ELER Hydraulic OÜ Selja tee 11, Kundae-post 522 3124 25.09.2020 Jah Jah L  
Tehnoülevaatus OÜ avaneb uues vahekaardis Sinivoore 16, Kohtla-Järvee-post 335 8282
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >  
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >  
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(7) > div:nth-child(2) >  
div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-  
child(1) > section:nth-child(1)
```

```
<section id="section-content">Firma nimi Address Telefon EAK kehtib kuni Analoog Digi  
Arukas Egesten OÜ avaneb uues vahekaardis Lepna tee 1, Taaravainu küla, Rakvere valde-  
post 325 8920 06.06.2025 Jah Jah Jah Scania Eesti AS avaneb uues vahekaardis Rägavere tee  
48, Rakveree-post 665 1286 09.02.2024 Jah Jah Jah Tehnokonsult OÜ avaneb uues vahekaardis
```

**Tulemus:** Several elements have the same `id` attribute.

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >  
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >  
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-  
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) >  
div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-  
child(1) > footer:nth-child(2)
```

```
<footer id="section-footer">  
</footer>
```

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(7) > div:nth-child(2) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-
child(1) > footer:nth-child(2)
```

```
<footer id="section-footer">
  </footer>
```

**Tulemus:** Several elements have the same `id` attribute.

## QW-ACT-R17 – Image has accessible name (267)

---

This rule checks that each image that is not marked as decorative, has an accessible name.

- <https://act-rules.github.io/rules/23a2a8>
- WCAG 2.1, Level A: 1.1.1 (<https://www.w3.org/TR/WCAG21/#non-text-content>)

**Veebilehekülg:** <https://transpordiamet.ee/digijajakiri>

---

#### ELEMENT:

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) >
div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://transpordiamet.ee/eesti-teedevork>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > article:nth-child(3) > div:nth-child(4) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(6) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://transpordiamet.ee/en>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://transpordiamet.ee/ennetuskampaniad>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://transpordiamet.ee/katseprojektid>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://transpordiamet.ee/laevad-eesti-lipu-alla>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://transpordiamet.ee/laevaliikluse-korraldamine>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://transpordiamet.ee/lennureisil-keelatud-esemed>

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://transpordiamet.ee/lootsiraamat>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: [https://transpordiamet.ee/otsing?  
keyword=Projekteerimistingimused&sort\\_by=created](https://transpordiamet.ee/otsing?keyword=Projekteerimistingimused&sort_by=created)

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: [https://transpordiamet.ee/otsing?  
type=Uudis&sort\\_by=created](https://transpordiamet.ee/otsing?type=Uudis&sort_by=created)

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

```
html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) >
main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-
child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > div:nth-child(1) >
div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)
```

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(5) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(6) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(7) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(8) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(9) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > div:nth-child(4) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(10) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://transpordiamet.ee/riigiteede-korrashoiu-kutsevoistlus>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

Veebilehekülg: <https://transpordiamet.ee/riigiteede-seisukord>

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(4) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(3) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(3) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(3) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://transpordiamet.ee/ru>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > a:nth-child(2) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

**Veebilehekülg:** <https://transpordiamet.ee/struktuur>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > img:nth-child(1)

```

```

**Tulemus:** The test target doesn't have an accessible name.

## QW-ACT-R37 – Text has minimum contrast (4131)

---

This rule checks that the highest possible contrast of every text character with its background meets the minimal contrast requirement.

- <https://act-rules.github.io/rules/afw4f7>
- WCAG 2.1, Level A: 1.4.3 (<https://www.w3.org/TR/WCAG21/#contrast-minimum>)
- WCAG 2.1, Level AA: 1.4.6 (<https://www.w3.org/TR/WCAG21/#contrast-enhanced>)

**Veebilehekülg:** <https://transpordiamet.ee/elektrooniline-mereinfosustem>

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > ul:nth-child(3) > li:nth-child(1)

```
<li>EMDE_v6.wsdl avaneb uues vahekaardis  
&nbsp;(10.15 KB)&nbsp;- x-tee teenuste kirjeldus (X-tee versioon 6)</li>
```

**Tulemus:** Element has contrast ratio lower than minimum.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > p:nth-child(4)

```
<p>X-tee xml-ide jaoks:</p>
```

**Tulemus:** Element has contrast ratio lower than minimum.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > ul:nth-child(5) > li:nth-child(1)

```
<li>EPN.xsd (636 BAITI) - peafail mis vaid kaasab ülejäänud</li>
```

**Tulemus:** Element has contrast ratio lower than minimum.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > ul:nth-child(5) > li:nth-child(2)

```
<li>EPNBasic.xsd avaneb uues vahekaardis (20.25 KB)- kesksed definitsioonid</li>
```

**Tulemus:** Element has contrast ratio lower than minimum.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > ul:nth-child(5) > li:nth-child(3)

```
<li>EPNCargo.xsd (46.36 KB) - lasti kirjeldus</li>
```

**Tulemus:** Element has contrast ratio lower than minimum.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > ul:nth-child(5) > li:nth-child(4)

```
<li>EPNVessel.xsd (8.74 KB) - laeva kirjeldus</li>
```

**Tulemus:** Element has contrast ratio lower than minimum.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > ul:nth-child(5) > li:nth-child(5)

```
<li>EPNVesselCall.xsd (65.84 KB) - laevakülastus</li>
```

**Tulemus:** Element has contrast ratio lower than minimum.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > ul:nth-child(5) > li:nth-child(6)

```
<li>EPNMessages.xsd (21.81 KB) - vahetatavad sõnumid</li>
```

**Tulemus:** Element has contrast ratio lower than minimum.

---

**ELEMENT:**

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > p:nth-child(6)

```
<p>Andmete üleslaadimise xml-ide valideerimiseks</p>
```

**Tulemus:** Element has contrast ratio lower than minimum.

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > main:nth-child(2) > section:nth-child(3) > div:nth-child(1) > article:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > div:nth-child(1) > section:nth-child(1) > article:nth-child(1) > section:nth-child(12) > article:nth-child(1) > div:nth-child(2) > table:nth-child(1) > caption:nth-child(1) > ul:nth-child(7) > li:nth-child(1)

```
<li>EPNCrewPassList.xsd avaneb uues vahekaardis (8.11 KB) - laeva meeskonna ja reisijate nimekirja üles laadimine</li>
```

**Tulemus:** Element has contrast ratio lower than minimum.

## QW-ACT-R16 – Form control has accessible name (111)

---

Form control has accessible name

- <https://act-rules.github.io/rules/e086e5>
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://transpordiamet.ee/kontakt>

---

#### ELEMENT:

html > body:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(1) > section:nth-child(4) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > form:nth-child(3) > div:nth-child(1) > select:nth-child(1)

```
<select class="form-control has-value-vp form-select" data-drupal-selector="edit-department" id="edit-department" name="department">Kõik  
üksusedTranspordiametPeadirektorTugiteenuste teenistusStrateegilise planeerimise  
teenistusMerendusteenistusTeehoiuteenistusLiiklusteenistusLennundusteenistus</select>
```

**Tulemus:** The test target accessible name doesn't exist or it's empty (").

## QW-ACT-R43 – Scrollable element is keyboard accessible (3)

---

